



天豐珠寶有限公司
TIN FUNG JEWELLERY LIMITED



全港規模最大K金鏈/配件供應商

HONG KONG LEADING

JEWELLERY FINDINGS SUPPLIER

全港規模最大保管箱租賃

LARGEST SAFE DEPOSIT BOX

CENTRE IN HONG KONG



广东省珠宝玉石交易中心

交易会员 NO.編號: GDGJEA000055

《香港黃金交易所》NO.70

Hong Kong Gold Exchange No.70

天豐集團業務:

TIN FUNG GROUP BUSINESS SCOPES:

環保金/銀買賣回收

Recycled Gold/Silver Trading & Refining

K金鏈/配件生產

K Gold Chains & Findings Supply

貴金屬成色檢驗

Precious Metals Purity Testing

物業租賃

Property Leasing

保管箱租賃

Safe Deposit Box Rental



天豐集團紮根於香港 30 多年，一直以推動業務持續發展及增長為目標。集團橫跨多個領域，包括金業（實體貴金屬買賣）、珠寶製造業（首飾鑄造及提煉、珠寶首飾配件及 K 金鏈供應）、地產行業（廠房、寫字樓、住宅及車位租賃）及保險箱出租服務等。集團旗下品牌「天豐珠寶」為香港最具規模的首飾製造廠之一；「天豐金業」亦是歷史悠久之「金銀業貿易場」行員。天豐於香港及國內廠房均具備豐富的生產經驗、人才及先進的設備，令業務得以不斷增長。多年來為不少國內外知名品牌提供優質的服務，相關客戶現已遍及中國內地，亞洲及歐美等市場。

Tin Fung Group has been rooted in Hong Kong for over 30 years, aiming for sustainable business development and growth. Tin Fung spans multiple areas, including the gold industry (physical precious metals trading), jewelry manufacturing (jewelry casting and refining, jewelry findings, and gold chain supply), real estate (leasing of residential and industrial units, parking spaces), safe deposit box rental.

The group's brand "Tin Fung Jewellery" is one of the largest jewelry manufacturers in Hong Kong, and "Tin Fung Gold" is a long-established member of the Chinese Gold and Silver Exchange. With extensive production experience, talent, and advanced equipment in both Hong Kong and mainland factories, the business continues to grow. Over the years, it has provided quality services to many well-known domestic and international brands, with clients now spanning Mainland China, Asia, Europe, and the Americas.



天豐集團已取得以下國際認可
Tin Fung Group has obtained the following International recognition

* ISO 17025:2017 (美國 IAS 實驗室品質管理系統認可)
(American IAS laboratory quality management system accreditation)

* ISO 11426:2021 (美國 IAS 認可 - 珠寶金首飾合金中金的測定 - 杯狀 (灰皿) 法 (火分析))
(Jewellery Determination of gold in gold jewellery alloys Cupellation method (fire assay))



頁碼

01. 十字鏈系列 Cross Chain	01
02. 十字錘打鏈系列 Cross Squashed Chain	04
03. 十字閃 O 鏈系列 Cross Flash O Chain	05
04. 十字車花鏈系列 Cross Diamond Cut Chain	07
05. 雙十字鏈系列 Double Cross Chain	10
06. 水波鏈系列 Water Wave Chain	10
07. 假繩鏈、嘴唇鏈 Twist Chain、Lips Chain	10
08. 肖邦鏈系列 Chopin Chain	11
09. 側身鏈系列 Side Chain	12
10. 心心鏈系列 Arrow Chain	13
11. S 鏈系列 S Chain	13
12. 菜花鏈系列 C-Wave Chain	13
13. 管狀網鏈系列 Tubular Net Chain	13
14. 盒仔鏈、盒仔車花鏈系列 Box Chain、Box Diamond Cut Chain	14
15. 竹節鏈系列 Bamboo Weave Chain	15
16. 珍珠鏈系列 Pearl Chain	15
17. 蛇骨鏈系列 Snake Bone	16
18. 刀片鏈系列 Knife Chain	17
19. 滿天星鏈系列 Star Weave Chain	17
20. 鏈尾系列 Tail Chain	17
21. 坦克鏈系列 Tank Rail Chain	18
22. 珠仔鏈 Beads Chain Series	19
23. 錶帶鏈 Watch Chain	21
24. 燈籠鏈 Lantern Chain	21
25. 日字空心鏈 Bullet Hollow Chain	21
26. 空心牛仔鏈 Curb Hollow Chain	22
27. 機織空心鏈 Machine-made Hollow Chain	23
28. 空心倒模鏈系列 Hollow Casting Chain Series	25
29. 鑲口鏈 Chain for diamond setting	26
29. 算盤珠系列 Abacus Bead	27
30. 珠貼片系列 Bead Patch Series	27
31. 調節珠系列 Adjuster Series	27



頁碼

32. 車花片系列 Die Cut Pc Series	29
33. 空心珠系列 Hollow Bead W/Hole Series	30
34. 項鍊吊墜系列 Necklace Pendant	31
35. 記憶、空心手鐲系列 Memory Bangles Series	32
36. 鑲口手鏈系列 Mounting Tennis Bracelets	37
37. 拉簧鑲口手鏈 Stretchable Mounting Bracelet	38
38. 拉簧珠手鏈系列 Spring Beads Bracelet Series	39
39. 記憶戒指系列 Memory Ring Series	41
40. 空心耳環 Hollow Earring	42
41. 平臺迫系列 Compatible Nuts Series	43
42. 飛碟迫、耳針、卷迫、螺絲迫系列 Locked Nut Ear Pin、Earring Nuts、Posts And Earunts	44
43. 梅花迫系列 Blossom Nuts Series	45
44. 珠盤系列 Pearl/Stone Series	46
45. 線拍、線拍座系列 Ear Clips Series And Omega Clips Series	47
46. 美拍系列 Omega Clips Series	49
47. 耳環爪頭系列 Earring Settings	50
48. 袖口鈕系列 Cuff Link Series	50
49. 耳線耳鉤 Earring Hooks	51
50. 四爪頭系列 Four Prong Round Peg Setting	52
51. 六爪頭系列 Six Prong Round Peg Setting	53
52. 空心珠扣系列 Ball Clasp W/Ring	54
53. 耳環扣系列 Earring Settings	55
54. 扣、水泡扣系列 Clasp And Spring Round Lock Series	56
55. 鴨利制系列 Tongues Series	59
56. 生圈扣系列 Hollow Bracelet Series	59
57. 其他配件 Others Accessories	60
58. 焊片、鑄射線 High/Low Temp. Welding Platrs & Wires	61
59. 足金、足銀系列 Pure Gold、Silver Series	62



業務範圍 Business Scope

一、 貴金屬貿易 Precious Metal Trading



二、 貴金屬含量的測試服務 Precious Metal Content Test Service

三、 貴金屬啤壓， 配件及材料供應 Precious Metal Pressing Accessories & Material Supply



光譜儀驗金
XRF Machine


四、 機織鏈系列 Jewellery Machining Chains Series

五、 智能保管箱業務 Smart Safe Deposit Box Business



新增
Addition

AA機驗金
AA Machine



新增
Addition

ICP-OES 貴金屬驗金機
ICP-OES: Metal testing Machine

天豐集團已取得以下國際認可

Tin Fung Group has obtained the following international recognition




* ISO 17025:2017(美國 IAS 實驗室品質管理系統認可)
(American IAS laboratory quality management system accreditation)

* ISO 11426:2014(美國 IAS 認可-珠寶金首飾合金中金的測定-杯狀(灰皿)法(火分析)
(Jewellery Determination of gold in gold jewellery alloys Cupellation method (fire assay))



產品設備
Production equipment



金粒鑄造機



進口壓片機



進口回火爐



連續鑄造機



灰皿驗金

天豐珠寶有限公司採用專業先進的進口機器，完善的程序。備有進口回火爐，進口織鏈機，進口壓片機，金粒鑄造機，連續鑄造機。為您提供優質的產品與服務。

Tin Fung Jewellery Limited is using professional and advanced imported machines with perfect processing, we equipped imported tempering furnace, imported chain-knitting machine, imported tablet-pressing machine, Gold grain casting machine, continuous casting machine,

We provide professional and high quality service for you.



機織鏈系列 -- 十字鏈
Machining Chains Series--Cross Chain

產品代碼 (Product Code)	線粗 (mm) (Thickness)	寬度 (mm) (Width)	重量 (克 / 英寸) weight (g/inch)					
			18K	14K	10K	9K	PT950	PT900
SZ01508860 (十字鏈)	0.15	0.88		0.020	0.017	0.015	0.015	
SZ02008529 (十字鏈)	0.20	0.85		0.045	0.039	0.034	0.033	
SZ020080325 (十字鏈)	0.20	0.80		0.042	0.037	0.032	0.031	
SZ02009235 (十字鏈)	0.20	0.92		0.040	0.035	0.031	0.030	
SZ022511540 (十字鏈)	0.225	1.15		0.050	0.044	0.038	0.037	0.066 0.066
SZ02509523 (十字鏈)	0.25	0.95		0.071	0.062	0.054	0.053	0.093 0.093
SZ02510027 (十字鏈)	0.25	1.00		0.072	0.063	0.054	0.053	0.094 0.094
SZ02510530 (十字鏈)	0.25	1.05		0.070	0.061	0.053	0.052	0.092 0.092
SZ02511832 (十字鏈)	0.25	1.18		0.060	0.052	0.046	0.044	0.079 0.079
SZ02512036 (十字鏈)	0.25	1.20		0.070	0.061	0.053	0.052	0.092 0.092

以上資料只供參考，一切以實物為準。 H代表車花，SH代表閃O，S代表壓扁。
The information above is for reference only. The real object should be considered as final.
H is Diamond Cut, SH is flash with Diamond Cut, S is Squashed.

機織鏈系列 -- 十字鏈

Machining Chains Series--Cross Chain

產品代碼 (Product Code)	線粗 (mm) (Thickness)	寬度 (mm) (Width)	重量 (克 / 英寸) weight (g/inch)					
			18K	14K	10K	9K	PT950	PT900
SZ02514043 (十字鏈)	0.25	1.40	0.060	0.052	0.046	0.044	0.079	0.079
SZ02514058 (十字鏈)	0.25	1.40	0.053	0.046	0.040	0.039	0.070	0.070
SZ02612030 (十字鏈)	0.26	1.20	0.078	0.068	0.060	0.058	0.102	0.102
SZ027511027 (十字鏈)	0.275	1.10	0.085	0.074	0.065	0.063	0.112	0.112
SZ03011527 (十字鏈)	0.30	1.15	0.101	0.089	0.075	0.073	0.145	0.145
SZ03012032 (十字鏈)	0.30	1.20	0.096	0.084	0.073	0.071	0.126	0.126
SZ03013535 (十字鏈)	0.30	1.35	0.090	0.078	0.069	0.067	0.118	0.118
SZ03014037 (十字鏈)	0.30	1.40	0.096	0.084	0.073	0.071	0.126	0.126
SZ03513527 (十字鏈)	0.35	1.35	0.130	0.113	0.099	0.096	0.171	0.171
SZ03515032 (十字鏈)	0.35	1.50	0.128	0.111	0.098	0.095	0.168	0.168

以上資料只供參考，一切以實物為準。 H代表車花，SH代表閃O，S代表壓扁。
The information above is for reference only. The real object should be considered as final. H is Diamond Cut, SH is flash with Diamond Cut, S is Squashed.



機織鏈系列 - 十字鏈
Machining Chains Series--Cross Chain

產品代碼 (Product Code)	鍊粗 (mm) (Thickness)	寬度 (mm) (Width)	重量 (克 / 英寸) weight (g/inch)						銀
			18K	14K	10K	9K	PT950	PT900	
SZ03515535 (十字鏈)	0.35	1.55	0.131	0.112	0.101	0.096	0.172	0.172	
SZ04015027 (十字鏈)	0.40	1.50	0.180	0.157	0.138	0.133	0.236	0.236	0.122
SZ04017532 (十字鏈)	0.40	1.75	0.189	0.164	0.144	0.140	0.248	0.248	
SZ04018035 (十字鏈)	0.40	1.80	0.170	0.148	0.130	0.126	0.223	0.223	
SZ04517527 (十字鏈)	0.45	1.75	0.226	0.200	0.170	0.167	0.297	0.297	
SZ05019527 (十字鏈)	0.50	1.95	0.283	0.246	0.215	0.209	0.371	0.371	
SZ05521027 (十字鏈)	0.55	2.10	0.342	0.298	0.257	0.253	0.449	0.449	
SZ06022527 (十字鏈)	0.60	2.25	0.399	0.347	0.305	0.295	0.524	0.524	
SZ06038560 (十字鏈)	0.60	3.85	0.335	0.291	0.256	0.248	0.440	0.440	
SZDX05840300 (蛋形十字鏈)	0.50	3.00	0.181	0.157	0.138	0.134	0.238	0.238	0.122

以上資料只供參考，一切以實物為準。
The information above is for reference only. The real object should be considered as final.

H代表車花，SH代表閃O，S代表壓扁。
H is Diamond Cut, SH is flash with Diamond Cut, S is Squashed.




機織鏈系列 -- 十字錘打鏈
Machining Chains Series--Cross Squashed Chain

產品代碼 (Product Code)	綫粗 (mm) (Thickness)	寬度 (mm) (Width)	重量 (克 / 英寸) weight (g/inch)					
			18K	14K	10K	9K	PT950	PT900
SZ015090S60 (十字錘打鏈)	0.15	0.90	0.020	0.017	0.015	0.015		
SZ020090S29 (十字錘打鏈)	0.20	0.90	0.040	0.035	0.031	0.030	0.053	0.053
SZ020100S35 (十字錘打鏈)	0.20	1.00	0.037	0.032	0.028	0.027	0.049	0.049
SZ025140S43 (十字錘打鏈)	0.25	1.40	0.056	0.049	0.043	0.041	0.083	0.083
SZ0325165S37 (十字錘打鏈)	0.325	1.65	0.100	0.087	0.076	0.074	0.131	0.131
SZ080320S27 (十字錘打鏈)	0.80	3.20	0.730	0.635	0.558	0.540		
SZ080340S80 (十字錘打鏈)	0.80	3.40	0.498	0.433	0.380	0.369		

机织链系列 -- 十字闪 O 链

Machining Chains Series--Cross Flash O Chain

重量 (克 / 英寸)
Weight (g/inch)

產品代碼 (Product Code)	鍊粗 (mm) (Thickness)	寬度 (mm) (Width)	18K	14K	10K	9K
SZ0202100SH45 (十字閃 O 鏈)	0.20	1.00	0.033	0.029	0.025	0.024
						
SZ02251100SH52 (十字閃 O 鏈)	0.225	1.00	0.034	0.030	0.026	0.025
						
SZ025095SH27 (十字閃 O 鏈)	0.25	0.95	0.050	0.044	0.038	0.037
						
SZ025110SH30 (十字閃 O 鏈)	0.25	1.00	0.053	0.046	0.040	0.039
						
SZ025110SH359 (十字閃 O 鏈)	0.25	1.10	0.057	0.050	0.044	0.042
						
SZ025110SH36 (十字閃 O 鏈)	0.25	1.10	0.055	0.046	0.041	0.040
						
SZ025120SH43 (十字閃 O 鏈)	0.25	1.20	0.040	0.035	0.031	0.030
						
SZ025140SH58 (十字閃 O 鏈)	0.25	1.40	0.044	0.038	0.034	0.033
						

以上資料只供參考，一切以實物為準。 H代表車花，SH代表閃 O，S代表壓扁。
The information above is for reference only. The real object should be considered as final. H is Diamond Cut, SH is flash with Diamond Cut, S is Squashed.



機織鏈系列 - 十字閃 O 鏈

Machining Chains Series--Cross Flash O Chain

重量 (克 / 英寸)
Weight (g/inch)

產品代碼 (Product Code)	鍊粗 (mm) (Thickness)	寬度 (mm) (Width)	18K	14K	10K	9K
SZ030115SH27 (十字閃 O 鏈)	0.30	1.15				
			0.084	0.073	0.064	0.062
SZ030120SH32 (十字閃 O 鏈)	0.30	1.20				
			0.084	0.062	0.056	0.054
SZ030130SH35 (十字閃 O 鏈)	0.30	1.30				
			0.074	0.064	0.057	0.055
SZ030130SH37 (十字閃 O 鏈)	0.30	1.30				
			0.078	0.064	0.057	0.055
SZ035130SH27 (十字閃 O 鏈)	0.35	1.30				
			0.100	0.087	0.076	0.074
SZ035145SH32 (十字閃 O 鏈)	0.35	1.45				
			0.100	0.087	0.076	0.074
SZ035150SH35 (十字閃 O 鏈)	0.35	1.50				
			0.109	0.095	0.083	0.081
SZ040150SH27 (十字閃 O 鏈)	0.40	1.50				
			0.150	0.131	0.115	0.111
SZ040170SH32 (十字閃 O 鏈)	0.40	1.70				
			0.130	0.113	0.099	0.096
SZ040170SH35 (十字閃 O 鏈)	0.40	1.70				
			0.140	0.122	0.107	0.104





機織鏈系列 - 十字閃 O 鏈

Machining Chains Series--Cross Flash O Chain

重量 (克 / 英寸)
weight(g/inch)

產品代碼 (Product Code)	線粗 (mm) (Thickness)	寬度 (mm) (Width)	18K	14K	10K	9K
SZ045175SH27 (十字閃 O 鏈)	0.45	1.75				
	0.205	0.178	0.156	0.152		
SZ050195SH27 (十字閃 O 鏈)	0.50	1.95				
	0.230	0.200	0.176	0.170		
SZ055210SH27 (十字閃 O 鏈)	0.55	2.10				
	0.262	0.228	0.200	0.194		
SZ060220SH27 (十字閃 O 鏈)	0.60	2.20				
	0.355	0.309	0.271	0.263		
SZ035115BSH27 (十字半閃 O 鏈)	0.35	1.15				
	0.107	0.093	0.082	0.079		
SZ065220PSH46 (閃 O 車花鏈)	0.65	2.20				
	0.323	0.281	0.242	0.239		
SZ070225PH50 (平面車花鏈)	0.70	2.25				
	0.345	0.300	0.259	0.255		
SZ070245PSH50 (閃 O 車花鏈)	0.70	2.45				
	0.382	0.333	0.287	0.283		
SZ070280PSH54 (閃 O 車花鏈)	0.70	2.80				
	0.380	0.331	0.290	0.281		

機織鏈系列 - 十字車花鏈

Machining Chains Series--Cross Diamond Cut Chain

重量 (克 / 英寸)
weight(g/inch)

產品代碼 (Product Code)	線粗 (mm) (Thickness)	寬度 (mm) (Width)	18K	14K	10K	9K	PT950	PT900
SZ018070H445 (十字車花鏈)	0.18	0.70						
	0.029	0.025	0.022	0.021	0.038	0.038		
SZ020070H325 (十字車花鏈)	0.20	0.70						
	0.038	0.033	0.029	0.028	0.050	0.050		
SZ020070H35 (十字車花鏈)	0.20	0.70						
	0.032	0.028	0.024	0.024	0.042	0.042		

以上資料只供參考，一切以實物為準。 H代表車花， SH代表閃 O， S代表壓扁。
The information above is for reference only. The real object should be considered as final. H is Diamond Cut, SH is Flash with Diamond Cut, S is Squashed.



機織鏈系列 - 十字車花鏈
Machining Chains Series -- Cross Diamond Cut Chain

產品代碼 (Product Code)	鍊粗 (mm) (Thickness)	寬度 (mm) (Width)	重量 (克 / 英寸) weight (g/inch)					
			18K	14K	10K	9K	PT950	PT900
SZ0225085H40 (十字車花鏈)	0.225	0.85						
			0.038	0.033	0.029	0.028	0.050	0.050
SZ025085H27 (十字車花鏈)	0.25	0.85						
			0.057	0.047	0.041	0.040	0.071	0.071
SZ025090H30 (十字車花鏈)	0.25	0.90						
			0.054	0.047	0.041	0.040	0.071	0.071
SZ025090H359 (十字車花鏈)	0.25	0.90						
			0.050	0.044	0.038	0.037	0.066	0.066
SZ025095H36 (十字車花鏈)	0.25	0.95						
			0.053	0.046	0.040	0.039	0.070	0.070
SZ025100H43 (十字車花鏈)	0.25	1.00						
			0.047	0.038	0.034	0.033	0.058	0.058
SZ026090H30 (十字車花鏈)	0.26	0.90						
			0.058	0.050	0.044	0.043	0.076	0.076
SZ0275095H27 (十字車花鏈)	0.275	0.95						
			0.067	0.056	0.049	0.047	0.084	0.084
SZ030100H27 (十字車花鏈)	0.30	1.00						
			0.082	0.071	0.063	0.061	0.108	0.108
SZ030110H37 (十字車花鏈)	0.30	1.10						
			0.075	0.061	0.056	0.055	0.098	0.098
SZ0325120H37 (十字車花鏈)	0.325	1.20						
			0.080	0.070	0.061	0.059	0.105	0.105
SZ035115H27 (十字車花鏈)	0.35	1.15						
			0.110	0.096	0.084	0.081	0.144	0.144
SZ035120H32 (十字車花鏈)	0.35	1.20						
			0.100	0.087	0.076	0.074	0.131	0.131



以上資料只供參考，一切以實物為準。H代表車花，SH代表閃O，S代表壓扁。

The information above is for reference only. The real object should be considered as final. H is Diamond Cut, SH is flash with Diamond Cut, S is Squashed.



機織鏈系列 - 十字車花鏈

Machining Chains Series -- Cross Diamond Cut Chain

產品代碼 (Product Code)	鍊粗 (mm) (Thickness)	寬度 (mm) (Width)	重量 (克 / 英寸) weight(g/inch)						
			18K	14K	10K	9K	PT950	PT900	銀
SZ035130H35 (十字車花鏈)	0.35	1.30	0.100	0.087	0.076	0.074	0.131	0.131	
SZ040130H27 (十字車花鏈)	0.40	1.30	0.140	0.122	0.107	0.104	0.184	0.184	0.095
SZ040140H32 (十字車花鏈)	0.40	1.40	0.130	0.113	0.099	0.096	0.171	0.171	
SZ040140H35 (十字車花鏈)	0.40	1.40	0.134	0.117	0.102	0.099	0.176	0.176	
SZ045150H27 (十字車花鏈)	0.45	1.50	0.182	0.154	0.137	0.135	0.239	0.239	
SZ050170H27 (十字車花鏈)	0.50	1.70	0.237	0.206	0.178	0.175	0.311	0.311	
SZ050190H68 (十字車花鏈)	0.50	1.90	0.168	0.145	0.126	0.124	0.221	0.221	
SZ055180H27 (十字車花鏈)	0.55	1.80	0.272	0.237	0.208	0.201	0.357	0.357	
SZ060200H35 (十字車花鏈)	0.60	2.00	0.308	0.268	0.232	0.228	0.404	0.404	
SZ075230H29 (十字車花鏈)	0.75	2.30	0.529	0.460	0.404	0.391	0.694	0.694	
SZ080320H80 (十字車花鏈)	0.80	3.20	0.459	0.400	0.351	0.340	0.649	0.649	

以上資料只供參考，一切以實物為準。
The information above is for reference only. The real object should be considered as final.

H代表車花，SH代表閃O，S代表壓扁。
H is Diamond Cut, SH is flash with Diamond Cut, S is Squashed.



機織鏈系列 -- 雙十字鏈

Machining Chains Series--Double Cross Chain

重量 (克 / 英寸)
weight (g/inch)

產品代碼 (Product Code)	錢粗 (mm) (Thickness)	寬度 (mm) (Width)	18K	14K	10K	9K	PT950	PT900
SSZ01208580 (雙十字鏈)	0.12	0.85						
			0.024	0.021	0.018	0.018		
SSZ01810059 (雙十字鏈)	0.18	1.00						
			0.060	0.052	0.046	0.044		
SSZ02011060 (雙十字鏈)	0.20	1.10						
			0.070	0.061	0.053	0.052		
SSZF02514058 (方雙十字鏈)	0.25	1.40						
			0.140	0.122	0.107	0.104		


機織鏈系列 -- 水波鏈

Machining Chains Series--Water Wave Chain

SB020120S (水波鏈)	0.20	1.20						
			0.066	0.057	0.050	0.049		
SB030175H (水波鏈)	0.30	1.75						
			0.155	0.134	0.116	0.115		
SB035210H (水波鏈)	0.35	2.10						
			0.220	0.191	0.167	0.163		
SB040240H (水波鏈)	0.40	2.40						
			0.250	0.218	0.190	0.185		
SBD030120H (單扣水波鏈)	0.30	1.20						
			0.090	0.078	0.069	0.067		

機織鏈系列 - 假繩鏈, 嘴唇鏈

Machining Chains Series -- Twist Chain, Lips Chain

JSF0225150 (方假繩鏈)	0.225	1.50						
			0.160	0.129	0.122	0.118		
ZC020105S60 (嘴唇鏈)	0.20	1.05						
			0.025	0.022	0.019	0.019	0.033	0.033
ZC030170S65 (嘴唇鏈)	0.30	1.70						
			0.058	0.050	0.044	0.043	0.076	0.076

以上資料只供參考，一切以實物為準。 H代表車花，SH代表閃O，S代表壓扁。
The information above is for reference only. The real object should be considered as final. H is Diamond Cut, SH is flash with Diamond Cut, S is Squashed.



機織鏈系列 -- 肖邦鏈
Machining Chains Series--Chopin Chain

產品代碼 (Product Code)	線粗 (mm) (Thickness)	寬度 (mm) (Width)	重量 (克 / 英寸) weight(g/inch)						
			18K	14K	10K	9K	PT950	PT900	
XB015085H (車花肖邦鏈)	0.15	0.85		0.053	0.046	0.040	0.039	0.070	0.070
XB018100H (車花肖邦鏈)	0.18	1.00		0.071	0.062	0.054	0.053	0.093	0.093
XB020110H (車花肖邦鏈)	0.20	1.10		0.086	0.075	0.066	0.064	0.113	0.113
XB025150H (車花肖邦鏈)	0.25	1.50		0.138	0.121	0.104	0.102	0.181	0.181
XB030165H (車花肖邦鏈)	0.30	1.65		0.188	0.164	0.144	0.139	0.247	0.247
XB035210H (車花肖邦鏈)	0.35	2.10		0.280	0.244	0.210	0.207	0.367	0.367
XBY025100 (方圓肖邦鏈)	0.25	1.00		0.119	0.104	0.091	0.088	0.156	0.156
XBY030125 (圓肖邦鏈)	0.30	1.25		0.184	0.160	0.140	0.136	0.242	0.242
XBY030125H (車花圓肖邦鏈)	0.30	1.25		0.173	0.151	0.132	0.128	0.227	0.227
XBY040160 (圓肖邦鏈)	0.40	1.60		0.285	0.248	0.217	0.211	0.374	0.374
XBY035140 (圓肖邦鏈)	0.35	1.40		0.230	0.200	0.175	0.170	0.302	0.302
XBFY025115 (方圓肖邦鏈)	0.25	1.15		0.146	0.128	0.110	0.108	0.192	0.192
XBFY030140 (方圓肖邦鏈)	0.30	1.40		0.207	0.180	0.157	0.153	0.272	0.272

以上資料只供參考，一切以實物為準。 H代表車花，SH代表閃O，S代表壓扁。
The information above is for reference only. The real object should be considered as final. H is Diamond Cut, SH is flash with Diamond Cut, S is Squashed.



機織鏈系列 -- 側身鏈
Machining Chains Series--Side Chain

產品代碼 (Product Code)	鍊粗 (mm) (Thickness)	寬度 (mm) (Width)	重量 (克 / 英寸) weight(g/inch)						銀
			18K	14K	10K	9K	PT950	PT900	
CS01605833 (側身鏈)	0.16	0.58		0.020	0.017	0.015	0.015	0.026	0.026
CS025088H28 (車花側身鏈)	0.25	0.88		0.070	0.061	0.053	0.052	0.092	0.092
CS02508828 (側身鏈)	0.25	0.88		0.080	0.070	0.061	0.059	0.105	0.105
CS025090H47 (車花側身鏈)	0.25	0.90		0.055	0.048	0.042	0.041	0.072	0.072
CS03010528 (側身鏈)	0.30	1.05		0.150	0.131	0.114	0.111	0.197	0.197
CS030105H28 (車花側身鏈)	0.30	1.05		0.103	0.090	0.079	0.076	0.135	0.135
CS035120H28 (車花側身鏈)	0.35	1.20		0.150	0.131	0.114	0.111	0.197	0.197
CS040135H28 (車花側身鏈)	0.40	1.35		0.176	0.153	0.134	0.130	0.231	0.231
CS04515527 (側身鏈)	0.45	1.55		0.250	0.218	0.190	0.185	0.328	0.328
CS045155H27 (車花側身鏈)	0.45	1.55		0.230	0.200	0.175	0.170	0.302	0.302
CS065220H30 (車花側身鏈)	0.65	2.20		0.461	0.401	0.352	0.341	0.605	0.605





機織鏈系列 -- 心心鏈 (V字鏈)
Machining Chains Series--Arrow Chain

重量 (克 / 英寸)
Weight(g/inch)

產品代碼 (Product Code)	線粗 (mm) (Thickness)	寬度 (mm) (Width)	18K	14K	10K	9K
------------------------	------------------------	--------------------	-----	-----	-----	----

VZ030140H48 0.30 1.40



VZ2030290H48 0.30 2.90



VZ4030590H48 0.30 5.90



機織鏈系列 -- S 鏈
Machining Chains Series--S Chain

SO30090H28 0.30 0.90



機織鏈系列 - 菜花鏈
Machining Chains Series--C-Wave Chain

CH030190S27 0.30 1.90



機織鏈系列 - 管狀網鏈
Machining Chains Series--Tubular Net Chain

WLSK015200 0.15 2.00





機織鏈系列 -- 盒仔鏈

Machining Chains Series--Box Chain

重量 (克 / 英寸)
Weight (g/inch)

產品代碼 (Product Code)	片厚 X 片寬 (mm) (Thickness X piece width)	寬度 (mm) (Width)	18K	14K	10K	9K	
HZ065 (盒仔鏈)	0.10X0.4	0.65		0.082	0.071	0.063	0.061
HZ100 (盒仔鏈)	0.17X0.6	1.00		0.190	0.165	0.144	0.141

機織鏈系列 -- 盒仔車花鏈

Machining Chains Series--Box Diamond Cut Chain

HZ060H (車花盒仔鏈)	0.1X0.4	0.60		0.079	0.069	0.060	0.058
HZW080H (車花盒仔鏈)		0.80		0.126	0.116	/	/
HZ100H (車花盒仔鏈)	0.17X0.6	1.00		0.180	0.157	0.138	0.133
HZ100H4 (四倒角盒仔鏈)	0.17X0.6	1.00		0.150	0.131	0.115	0.111
HZ2065H (盒仔車花鏈)	0.10X0.4	1.35		0.211	0.184	0.161	0.156
HZ2100H (盒仔車花鏈)	0.17X0.6	2.00		0.365	0.318	0.279	0.270

以上資料只供參考，一切以實物為準。 H代表車花，SH代表閃O，S代表壓扁。
The information above is for reference only. The real object should be considered as final. H is Diamond Cut, SH is flash with Diamond Cut, S is Squashed.



機織鏈系列 -- 竹節鏈
Machining Chains Series--Bamboo Weave Chain

重量 (克 / 英寸)
Weight(g/inch)

產品代碼 (Product Code)	鍊粗 (mm) (Thickness)	寬度 (mm) (Width)	18K	14K	10K	9K
ZJY035080 (圓竹節鏈)	0.35	0.80				
			0.121	0.105	0.092	0.090
ZJF040070H (方竹節鏈)	0.40	0.70				
			0.142	0.124	0.108	0.105
ZJY040090 (圓竹節鏈)	0.40	0.90				
			0.149	0.130	0.113	0.110
ZJY045100 (圓竹節鏈)	0.45	1.00				
			0.208	0.181	0.158	0.154

機織鏈系列 -- 珍珠鏈
Machining Chains Series--Pearl Chain

ZZ085 (珍珠鍊)	0.12X0.35	0.85				
			0.056	0.049	0.043	0.041
ZZ110 (珍珠鍊)	0.16X0.46	1.10				
			0.095	0.083	0.072	0.070
ZZ130 (珍珠鍊)	0.22X0.60	1.30				
			0.198	0.172	0.151	0.147

以上資料只供參考，一切以實物為準。 H代表車花，SH代表閃O，S代表壓扁。
The information above is for reference only. The real object should be considered as final.
H is Diamond Cut, SH is flash with Diamond Cut, S is Squashed.



機織鏈系列 -- 蛇骨鏈
Machining Chains Series--Snake Bone

產品代碼 (Product Code)	繩粗 (mm) (Thickness)	寬度 (mm) (Width)	重量 (克 / 英寸) weight(g/inch)			
			18K	14K	10K	9K
SGBJ0225055H (八角蛇骨車花鏈)	0.225	0.55				
			0.092	0.080	0.070	0.068
SGBJ030085H (八角蛇骨車花鏈)	0.30	0.85				
			0.184	0.160	0.141	0.136
SGFQN030100H (方蛇骨全扭鏈)	0.30	1.00				
			0.169	0.147	0.128	0.125
SGFJN030100H (方蛇骨間扭鏈)	0.30	1.00				
			0.182	0.158	0.138	0.135
SGF0225055H (方蛇骨鏈)	0.225	0.55				
			0.099	0.086	0.076	0.073
SGF030075H (方蛇骨鏈)	0.30	0.75				
			0.166	0.144	0.127	0.123
SGY0225070 (圓蛇骨鏈)	0.225	0.70				
			0.126	0.110	0.096	0.093
SGY025080 (圓蛇骨鏈)	0.25	0.80				
			0.166	0.144	0.127	0.123
SGY030085 (圓蛇骨鏈)	0.30	0.85				
			0.182	0.158	0.139	0.135
SGY035100 (圓蛇骨鏈)	0.35	1.00				
			0.266	0.231	0.203	0.197
SGY040120 (圓蛇骨鏈)	0.40	1.20				
			0.380	0.331	0.290	0.281
SGY050145 (圓蛇骨鏈)	0.50	1.45				
			0.544	0.473	0.416	0.403

以上資料只供參考，一切以實物為準。 H代表車花， SH代表閃O， S代表壓扁。
The information above is for reference only. The real object should be considered as final. H is Diamond Cut, SH is flash with Diamond Cut, S is Squashed.



機織鏈系列 -- 刀片鏈
Machining Chains Series--Knife Chain

產品代碼 (Product Code)	線粗 (mm) (Thickness)	寬度 (mm) (Width)	重量 (克 / 英寸) weight(g/inch)						
			18K	14K	10K	9K	PT950	PT900	銀
JL030150H (金龍車花鏈)	0.30	1.50				0.210	0.183	0.160	0.155
DPM030180H (刀片密車花鏈)	0.30	1.80				0.186	0.162	0.142	0.138
DPM040220H (刀片密車花鏈)	0.40	2.20				0.300	0.261	0.229	0.222
DPM050280H (刀片密車花鏈)	0.50	2.80				0.495	0.431	0.371	0.366

機織鏈系列 -- 滿天星鏈
Machining Chains Series--Star Weave Chain

MTXJN030090H (滿天星間扭)	0.30	0.90				0.080	0.070	0.061	0.059
MTXQN030090H (滿天星全扭)	0.30	0.90				0.080	0.070	0.061	0.059

機織鏈系列 -- 鏈尾
Machining Chains Series--Tail Chain

CSLW02516292 (側身鏈尾)	0.25	1.60				0.055	0.048	0.042	0.041	0.072	0.072	0.037
CSLW04020060 (側身鏈尾)	0.40	2.00				0.151	0.130	0.113	0.112	0.198	0.198	0.105
LW045330571 (十字鏈尾)	0.45	3.30				0.238	0.186	0.178	0.176	0.312	0.312	0.164
LW05033050 (十字鏈尾)	0.50	3.30				0.300	0.261	0.228	0.222	0.394	0.394	0.202

以上資料只供參考，一切以實物為準。 H代表車花，SH代表閃O，S代表壓扁。
The information above is for reference only. The real object should be considered as final. H is Diamond Cut, SH is flash with Diamond Cut, S is Squashed.



機織鏈系列 -- 坦克鏈
Machining Chains Series--Tank Rail Chain

重量 (克 / 英寸)
Weight (g/inch)

產品代碼 (Product Code)	線粗 (mm) (Thickness)	寬度 (mm) (Width)	18K	14K	10K	9K
TK025140H27 (車花坦克鏈)	0.25	1.40				
			0.129	0.112	0.098	0.095
TK4025270H27 (車花坦克鏈)	0.25	2.70				
			0.260	0.226	0.198	0.192
TK4030365H27 (車花坦克鏈)	0.30	3.65				
			0.375	0.326	0.281	0.278
TK404054030 (坦克鏈)	0.40	5.40				
			0.660	0.574	0.504	0.488
TK802554027 (坦克鏈)	0.25	5.40				
			0.553	0.481	0.415	0.409
TK8025550H27 (車花坦克鏈)	0.25	5.50				
			0.500	0.435	0.382	0.370





光身珠仔鏈
Beads Chain Series

產品代碼 (Product Code)	寬度 (mm) (Width)	18K	14K	10K	9K	重量 (克 / 英寸) weight(g/inch)
						銀
ZL10	1.0	0.110	0.095	0.083	0.081	0.076
ZL12	1.2	0.155	0.138	0.116	0.115	0.107
ZL15	1.5	0.220	0.196	0.165	0.163	/
ZL10H	1.0	0.104	0.090	0.078	0.077	0.072
ZL12H	1.2	0.146	0.128	0.110	0.108	0.101
ZL15H	1.5	0.208	0.168	0.154	0.152	/
ZL18WF	1.8	0.340	0.296	0.260	0.252	0.230
ZL20WF	2.0	0.343	0.298	0.257	0.254	0.237
ZL25WF	2.5	0.478	0.416	0.365	0.354	0.323



双拼



三拼



四拼

以上型號光身珠仔鏈皆有雙拼，三拼，四拼

Above beads chain also have *2-double line*, *3-triple line* and *4 line* for select

以上資料只供參考，一切以實物為準。H代表車花，SH代表閃O，S代表壓扁。
The information above is for reference only. The real object should be considered as final. H is Diamond Cut, SH is flash with Diamond Cut, S is Squashed.



珠仔鏈系列
Beads Chain Series

產品代碼 (Product Code)	寬度 (mm) (Width)	重量 (克 / 英寸) weight(g/inch)				
		18K	14K	10K	9K	銀
ZL30WF	3.0	0.522	0.454	0.399	0.386	0.352
ZL40WF	4.0	0.691	0.601	0.528	0.511	0.466
ZL50WF	5.0	1.000	0.870	0.764	0.740	0.675
ZL25S4WF	2.5	0.418	0.364	0.319	0.309	0.282
CDL181C2Y	1.8	0.326	0.273	0.245	0.241	0.225
CDL12H	1.2	0.153	0.133	0.117	0.113	



尺寸	珠數	石數	18K	14K	10K	9K	銀
18cm	24	96	12.10	10.53	9.24	8.95	8.17
17cm	23	92	11.43	9.95	8.73	8.46	7.72
16cm	21	84	10.76	9.36	8.22	7.96	7.26
15cm	20	80	10.08	8.77	7.70	7.46	6.80

★ ZL50S4WFXK
鑲口位: 0.02ct



以上資料只供參考，一切以實物為準。 H代表車花，SH代表閃O，S代表壓扁。
The information above is for reference only. The real object should be considered as final. H is Diamond Cut, SH is flash with Diamond Cut, S is Squashed.



錶帶鏈
Watch Chain

產品代碼 (Product Code)	錢粗 (mm) (Thickness)	寬度 (mm) (Width)	重量 (克 / 條) Weight (g/pc)						
			18K	14K	10K	9K	PT950	銀	長度
BR-SBL02545BZ-P3	0.25	4.5							
			5.57	4.85	4.26	4.12	7.31	3.76	7.5"
BR-SBL02550BZ-P3	0.25	5.0							
			7.50	6.53	5.73	5.55	9.84	5.06	7"
BR-SBL02560BZ-P3	0.25	6.0							
			6.25	5.44	4.78	4.63	8.20	4.22	7"
BR-SBL02580BZ-P3	0.25	8.0							
			8.27	7.20	6.32	6.12	10.85	5.58	7.5"
BR-SBLGJJXK50-P3	0.25	5.0	1.5mm(0.014ct)	84粒					
			9.30	8.09	7.11	6.88	12.21	6.28	7"

燈籠鏈
Lantern Chain

DLL015160 (燈籠鏈)	0.15	1.60							
			0.244	0.212	0.186	0.181	0.320	0.320	0.165
DLL015180 (燈籠鏈)	0.15	1.80							
			0.253	0.220	0.193	0.187	0.332	0.332	0.171
DLL015200 (燈籠鏈)	0.15	2.00							
			0.310	0.270	0.237	0.229	0.407	0.407	0.209
DLL015220 (燈籠鏈)	0.15	2.20							
			0.346	0.301	0.264	0.256	0.454	0.454	0.234

日字空心鏈
Bullet Hollow Chain

NL-RZKXL1304532	
-----------------	--

重量 (g/inch)

日字： 13X4.5X3.2mm	18K	14K	10K	9K	PT950	PT900	銀
圈仔： 1.0X0.7X0.5mm	0.91	0.79	0.70	0.67	1.19	1.19	0.61



空心牛仔链
Curb Hollow Chain

產品代碼 (Product Code)	錢粗 (mm) (Thickness)	寬度 (mm) (Width)	重量 (克 / 條) weight (g/pc)								
			18K	14K	10K	9K	PT950	銀	長度	制頭 石位數	鏈身 石位數
BRBL-KXNZDDXL080	3	8									
			25.00	21.75	19.10	18.50	32.81	16.88	7"	1.5mm 16粒	240粒
BRBL-KXNZSDXL080	3	8									
			25.00	21.75	19.10	18.50	32.81	16.88	7"	1.0mm 40粒 1.1mm	360粒 180粒
BRBL-KXNZSWXL100	4	10									
			31.00	26.97	23.46	20.61	35.40	18.21	7.25"	1.1mm 4粒 1.3mm 25粒 1.5mm 11粒	350粒 150粒
BRBL-KXNZSWXL115	4.3	11.5									
			35.00	30.45	26.74	25.90	45.94	23.63	7"	1.3mm 6粒 1.5mm 26粒 1.8mm 11粒	280粒 120粒
BR-NZXKL15050+147	1.5	5.0									
			13.21	11.49	10.09	9.78	17.34	8.92	7"	1.2mm	333粒
BR-KXNZGJL32060+LC47	3.2	6.0									
			16.19	14.09	12.37	11.98	21.25	10.93	7.25"		
BRBL-KXNZGJL100	3.2	10									
			25.00	21.75	19.10	18.50	32.81	16.88	7"		



機織空心鏈系列
Machine-made Hollow Chain

產品代碼 (Product Code)	線粗 (mm) (Thickness)	寬度 (mm) (Width)	18K	14K	10K	9K	重量 (克 / 英寸) weight(g/inch)
KXSZ050200706 (空心十字鏈)	0.5	2.0					0.086 0.064 0.065 0.064
							
KXSZ0501905706 (空心十字捶打鏈)	0.5	1.9					0.081 0.070 0.061 0.060
							
KXSZ05018527 (空心十字鏈)	0.5	1.85					0.117 0.102 0.088 0.087
							
KXSZ050195527 (空心十字捶打鏈)	0.5	1.95					0.110 0.096 0.083 0.081
							
KXSZ07024030 (空心十字鏈)	0.7	2.4					0.217 0.189 0.163 0.161
							
KXSZ070285530 (空心十字捶打鏈)	0.7	2.85					0.220 0.191 0.165 0.163
							
KXSZ08027530 (空心十字鏈)	0.8	2.75					0.278 0.242 0.209 0.206
							
KXSZ080340530 (空心十字捶打鏈)	0.8	3.4					0.292 0.154 0.219 0.216
							

以上資料只供參考，一切以實物為準。
The information above is for reference only. The real object should be considered as final.



機織空心鏈系列
Machine-made Hollow Chain

產品代碼 (Product Code)	錢粗 (mm) (Thickness)	寬度 (mm) (Width)	重量 (克 / 英寸) Weight (g/inch)			
			18K	14K	10K	9K
KXSZ100400486 (空心十字鏈)	1.0	4.0	0.400	0.348	0.300	0.296
						
KXSZ12046527 (空心十字鏈)	1.2	4.65	0.655	0.570	0.491	0.485
						
KXSZ140535486 (空心十字鏈)	1.4	5.35	0.704	0.612	0.528	0.521
						
KXSZF120500S486 (空心十字捶打鏈)	1.2	5.0	0.620	0.540	0.465	0.459
						
KXCS12040527 (空心側身鏈)	1.0	4.05	0.725	0.631	0.544	0.537
						
KXCS06019027 (空心側身鏈)	0.6	1.9	0.181	0.157	0.136	0.134
						
KXCS10033027 (空心側身鏈)	1.0	3.3	0.482	0.419	0.362	0.357
						
KXCS14049030 (空心側身鏈)	1.4	4.9	0.935	0.813	0.701	0.692
						



天豐珠寶有限公司
TIN FUNG JEWELLERY LIMITED



空心倒模鏈系列
Hollow Casting Chain Series



BLKXSZDXL6848



BLKXSZ170946



BLKXSZFDXL7658



BLKXSZDXHL7850



BLZBJDX088380

以上資料只供參考，一切以實物為準。 H代表車花，SH代表閃O，S代表壓扁。
The information above is for reference only. The real object should be considered as final. H is Diamond Cut, SH is flash with Diamond Cut, S is Squashed.



鑲口鏈系列
Chain For Diamond Setting



XKL02303010



XKL025030170



產品編號	單寸約重(克)						石粒數	鑲石尺寸
	18K	14K	10K	9K	PT950	銀		
XKL02303010	0.378g	0.329g	0.284g	0.280g	0.496g	0.256g	6寸約109粒	RD 1.1-1.3mm
XKL02303015	0.380g	0.331g	0.285g	0.281g	0.499g	0.257g	5寸約75粒	RD 1.5-1.6mm
XKL02303020	0.465g	0.405g	0.349g	0.344g	0.610g	0.315g	6寸約80粒	RD 1.7-1.8mm
XKL02303025	0.488g	0.425g	0.366g	0.361g	0.641g	0.331g	6寸約72粒	RD 1.9-2.0mm
XKL02303040	0.493g	0.429g	0.370g	0.365g	0.647g	0.334g	6寸約64粒	RD 2.1-2.3mm
XKL02303050	0.583g	0.507g	0.437g	0.431g	0.765g	0.395g	6寸約62粒	RD 2.4-2.45mm
XKL024033110	0.740g	0.644g	0.555g	0.548g	0.971g	0.501g	10寸約79粒	RD 2.9-3.1mm
XKL025030170	0.833g	0.725g	0.625g	0.616g	1.093g	0.564g	6寸約39粒	RD 3.5-3.6mm

算盤珠系列
Abacus Bead



產品編號	KXZ-SPY3015	KXZ-SPY4019	KXZ-SPY6040
外徑	3mm	4mm	6mm
內徑	1.5mm	1.9mm	2.0mm
18K <克/件>	0.045	0.088	0.300
14K <克/件>	0.039	0.077	0.261
10K <克/件>	0.034	0.067	0.229
9K <克/件>	0.033	0.065	0.222
PT950 <克/件>	0.059	0.116	0.394
PT900 <克/件>	0.059	0.116	0.394
銀Ag <克/件>	0.030	0.059	0.203

珠貼片系列
Bead Patch Series



PL76-TP35	PL76-TP45
外徑:3.5mm	外徑:4.5mm
孔徑:1.8mm	孔徑:1.8mm
18K:0.039g/對	18K:0.066g/對
14K:0.034g/對	14K:0.057g/對
10K:0.030g/對	10K:0.050g/對
9K:0.029g/對	9K:0.049g/對
PT950:0.051g/對	PT950:0.087g/對
銀: 0.026g/對	銀: 0.045g/對

調節珠
Adjuster Series



產品編號	TJZ-YXB-HYCHP1	TJZ-DXB-HYCHP2	TJZ-XXB-HYCHP2	TJZ-YXB-CHP-A1	TJZ-YXB-CHP-D1	TJZ-YXB-CHP-E1	TJZ-YXB-CHP-F1
尺寸	7X7X2.5	7X5X2.5	6X7X2.5	9.3X9.3X3.3	9.3X9.3X3.3	9.3X9.3X3.3	9.3X9.3X3.3
最佳配鏈	1.1-1.3mm						
18K <克/件>	0.420	0.290	0.420	1.240	1.230	1.280	1.270
14K <克/件>	0.365	0.252	0.365	1.079	1.070	1.114	1.105
10K <克/件>	0.321	0.222	0.321	0.947	0.940	0.978	0.970
9K <克/件>	0.311	0.215	0.311	0.918	0.910	0.947	0.940
PT950 <克/件>	0.551	0.381	0.551	1.628	1.614	1.680	1.667
PT900 <克/件>	0.551	0.381	0.551	1.628	1.614	1.680	1.667
銀Ag <克/件>	0.284	0.196	0.284	0.837	0.830	0.864	0.857

以上資料只供參考，一切以實物為準。
The information above is for reference only. The real object should be considered as final.



調 節 珠
Adjuster Series



產品編號	TJZ-XXB-HT-2	TJZ-XXB-2	TJZ-XXP-2	TJZ-YXB-HT-2	TJZ-YXB-2	TJZ-HL-2
尺寸	7X6X2.5mm	7X6X2.5mm	7X6X4.8mm	7X2.5mm	7X2.5mm	13.6X6.5mm
最佳配鏈	1.1-1.3mm	1.1-1.3mm	1.1-1.3mm	1.1-1.3mm	1.1-1.3mm	1.1-1.3mm
18K <克/件>	0.420	0.300	0.330	0.350	0.410	0.980
14K <克/件>	0.365	0.261	0.287	0.305	0.357	0.853
10K <克/件>	0.321	0.229	0.252	0.267	0.313	0.749
9K <克/件>	0.311	0.222	0.244	0.259	0.303	0.725
PT950 <克/件>	0.551	0.394	0.433	0.459	0.538	1.286
PT900 <克/件>	0.551	0.394	0.433	0.459	0.538	1.286
銀Ag <克/件>	0.284	0.203	0.223	0.236	0.277	0.662



產品編號	TJZ-YXP-2	TJZ-YXP10-2	TJZ-DXB-HT-2	TJZ-DXB-2	TJZ-DXP-2	TJZ-WXP-2
尺寸	7X5mm	10X6mm	7X5X2.5mm	7X5X2.5mm	7X5X5mm	7X7X4.7mm
最佳配鏈	1.1-1.3mm	1.1-1.5mm	1.1-1.3mm	1.1-1.3mm	1.1-1.3mm	1.1-1.3mm
18K <克/件>	0.450	0.820	0.280	0.400	0.370	0.520
14K <克/件>	0.392	0.713	0.244	0.348	0.322	0.452
10K <克/件>	0.344	0.626	0.214	0.306	0.283	0.397
9K <克/件>	0.333	0.607	0.207	0.296	0.274	0.385
PT950 <克/件>	0.591	1.076	0.368	0.525	0.486	0.683
PT900 <克/件>	0.591	1.076	0.368	0.525	0.486	0.683
銀Ag <克/件>	0.304	0.554	0.189	0.270	0.250	0.351



產品編號	TJZ-4XP10-2	TJZ-SYP-2	TJZ040A-2	TJZ030A-2	TJZ040	TJZ030
尺寸	10X10X5mm	8.6X8.6X4mm	4X8mm	3X6mm	4mm	3mm
最佳配鏈	1.1-1.3mm	1.1-1.3mm	1.3-1.5mm	0.85-1.2mm	1.3-1.5mm	0.85-1.2mm
18K <克/件>	0.990	0.720	0.268	0.144	0.160	0.070
14K <克/件>	0.861	0.626	0.233	0.125	0.139	0.061
10K <克/件>	0.756	0.547	0.204	0.109	0.122	0.053
9K <克/件>	0.733	0.533	0.198	0.107	0.118	0.052
PT950 <克/件>	1.299	0.945	0.352	0.189	0.210	0.092
PT900 <克/件>	1.299	0.945	0.352	0.189	0.210	0.092
銀Ag <克/件>	0.668	0.486	0.181	0.097	0.108	0.047





車花片系列
Die Cut Pc Series



產品編號	CHP-YD20A12	CHP-YD25A12	CHP-YD30A12	CHP-YD35A12	CHP-YD40A12	CHP-YD50A12	CHP-YD60A12
外徑 / 片厚 (mm)	2.0/0.7	2.5/0.7	3.0/0.7	3.5/1.2	4.0/2.1	5.0/2.4	6.0/3.7
鑲石尺寸 (mm)	0.5	0.7	0.7	0.7	0.7	0.7	0.7
18K(克/件)	0.014	0.025	0.035	0.046	0.120	0.230	0.230
14K(克/件)	0.012	0.022	0.030	0.040	0.104	0.200	0.200
10K(克/件)	0.011	0.019	0.027	0.035	0.091	0.175	0.175
9K(克/件)	0.010	0.019	0.026	0.034	0.089	0.170	0.170
PT950(克/件)	0.018	0.033	0.046	0.060	0.158	0.302	0.302
PT900(克/件)	0.018	0.033	0.046	0.060	0.158	0.302	0.302
銀(克/件)	0.009	0.017	0.024	0.031	0.081	0.155	0.155



產品編號	CHP-YD80A204ZDX -CNC	CHP-YD70A204ZDX -CNC	CHP-YD60A204ZDX -CNC	CHP-YD50A204ZDX -CNC	CHP-YD45A204ZDX -CNC	CHP-YD40A204ZDX -CNC	CHP-YD20C7Y10 -CNC
外徑 / 片厚 (mm)	8.0/1.3	7.0/1.2	6.0/1.2	5.0/1.2	4.5/1.1	4.0/1.0	2.0/1.05
鑲石尺寸 (mm)	6.0	5.3	4.5	3.7	3.3	3.0	/
18K(克/件)	0.330	0.280	0.220	0.150	0.120	0.100	0.024
14K(克/件)	0.287	0.244	0.191	0.131	0.104	0.087	0.021
10K(克/件)	0.248	0.210	0.165	0.113	0.090	0.075	0.175
9K(克/件)	0.244	0.207	0.163	0.111	0.089	0.074	0.018
PT950(克/件)	0.433	0.368	0.289	0.197	0.158	0.131	0.018
PT900(克/件)	0.433	0.368	0.289	0.197	0.158	0.131	0.032
銀(克/件)	0.224	0.190	0.149	0.102	0.081	0.068	0.016



產品編號	CHP-YD38A12ZP (RCHP005)	CHP-YD44A12ZP (RCHP010)	CHP-YD48A16ZP (RCHP015)	CHP-YD55A16ZP (RCHP020)	CHP-YD57A16ZP (RCHP025)	CHP-YD61A16ZP (RCHP030)
刀數	12 刀	12 刀	16 刀	16 刀	16 刀	16 刀
18K(克/件)	0.096	0.106	0.132	0.204	0.150	0.230
14K(克/件)	0.084	0.092	0.115	0.177	0.131	0.200
10K(克/件)	0.073	0.081	0.100	0.155	0.115	0.175
9K(克/件)	0.071	0.078	0.098	0.151	0.111	0.170
PT950(克/件)	0.126	0.139	0.173	0.268	0.197	0.302
PT900(克/件)	0.126	0.139	0.173	0.268	0.197	0.302
銀(克/件)	0.065	0.072	0.089	0.137	0.101	0.155


註：車花片的孔徑，片厚因要求不同而變化，下單時需詳細註明。
Size thickness and pattern can be changed by any requirement, please specify by ordering.

以上資料只供參考，一切以實物為準。
The information above is for reference only. The real object should be considered as final.



空心珠系列
Hollow Bead W/Hole Series

有孔光身珠



產品編號	KXZY20	KXZY22	KXZY25	KXZY30	KXZY35	KXZY40	KXZY50	KXZY55
珠外徑 (mm)	2.0	2.2	2.5	3.0	3.5	4.0	5.0	5.5
珠孔徑 (mm)	1.0	1.0	1.0 1.1 1.2 1.3	1.0 1.1 1.2 1.3	1.2 1.7	1.1 1.2 1.3 1.4 1.8	1.0 1.6 1.8	1.1
18K <克/件>	0.020	0.030	0.050	0.070	0.100	0.120	0.240	0.250
14K <克/件>	0.017	0.026	0.044	0.061	0.087	0.104	0.209	0.218
10K <克/件>	0.015	0.023	0.038	0.053	0.076	0.091	0.183	0.191
9K <克/件>	0.015	0.022	0.037	0.052	0.074	0.089	0.178	0.185
PT950 <克/件>	0.026	0.039	0.066	0.092	0.131	0.158	0.315	0.328
PT900 <克/件>	0.026	0.039	0.066	0.092	0.131	0.158	0.315	0.328
銀Ag <克/件>	0.013	0.020	0.034	0.047	0.067	0.081	0.162	0.169




有孔车花珠

產品編號	KXZY60	KXZY70	KXZY80	KXZY30H	KXZY40H	KXZY50H	KXZY60H
珠外徑 (mm)	6.0	7.0	8.0	3.0	4.0	5.0	6.0
珠孔徑 (mm)	2.0	2.1	2.1	1.5	1.8	1.8	2.0
18K <克/件>	0.350	0.550	0.750	0.060	0.120	0.200	0.400
14K <克/件>	0.305	0.479	0.653	0.052	0.104	0.174	0.348
10K <克/件>	0.267	0.420	0.573	0.046	0.092	0.153	0.306
9K <克/件>	0.259	0.407	0.555	0.044	0.089	0.148	0.296
PT950 <克/件>	0.459	0.722	0.984	0.079	0.158	0.263	0.525
PT900 <克/件>	0.459	0.722	0.984	0.079	0.158	0.263	0.525
銀Ag <克/件>	0.236	0.371	0.506	0.041	0.081	0.135	0.270

无孔空心珠

產品編號	YZ20	YZ25	YZ30	YZ40	YZ50	YZ60	YZ70	YZ80
珠外徑 (mm)	2.0	2.5	3.0	4.0	5.0	6.0	7.0	8.0
18K <克/件>	0.023	0.058	0.080	0.150	0.270	0.410	0.690	0.840
14K <克/件>	0.020	0.050	0.070	0.131	0.235	0.357	0.600	0.731
10K <克/件>	0.018	0.044	0.061	0.115	0.206	0.313	0.527	0.642
9K <克/件>	0.017	0.043	0.059	0.111	0.200	0.303	0.511	0.622
PT950 <克/件>	0.030	0.076	0.105	0.197	0.354	0.538	0.906	1.103
PT900 <克/件>	0.030	0.076	0.105	0.197	0.354	0.538	0.906	1.103
銀Ag <克/件>	0.016	0.039	0.054	0.101	0.182	0.277	0.466	0.567



车花款式
Diamond Cut Style

以上資料只供參考，一切以實物為準。
The information above is for reference only. The real object should be considered as final.





項鍊吊墜
Necklace Pendant



產品編號	BC02-0504	BC02-0605	BC02-0706	BC02-0807	D143-HL	D143-HLKK
產品尺寸 (mm)	5X4X2.7	6X5X3.1	7X6X3.9	8X7X4.2	7.8X16.5	8X16.6
18K	0.341	0.459	0.637	0.830	1.700	0.830
14K	0.297	0.399	0.554	0.722	1.479	0.722
10K	0.261	0.351	0.487	0.634	1.299	0.634
9K	0.252	0.340	0.471	0.614	1.258	0.614
PT950	0.448	0.602	0.836	1.089	2.231	1.089
PT900	0.448	0.602	0.836	1.089	2.231	1.089
銀	0.230	0.310	0.430	0.560	1.148	0.560



產品編號	D143-HLKXJQ	D143-HLKXMH	D143-HLKXWX	D143-HLKXBG	D143-HLKXWSJ
產品尺寸 (mm)	8x16.6	8x16.6	8x16.6	8x16.6	8x16.6
18K	0.740	0.790	0.770	0.780	0.740
14K	0.644	0.687	0.670	0.679	0.644
10K	0.565	0.604	0.588	0.596	0.565
9K	0.548	0.585	0.570	0.577	0.548
PT950	0.971	1.037	1.011	1.024	0.971
PT900	0.971	1.037	1.011	1.024	0.971
銀	0.500	0.533	0.520	0.527	0.500



產品編號	D152-SP	D151-STB	D150-YK520	D150-520	D147-KXSD	D149-KXXX	D98
產品尺寸 (mm)	20X10.5X2.3	3x11x8.5	14	13x9.5	6X18	5.3X6	3mm 4mm
18K	2.281	0.548	0.783	0.528	0.820	0.220	0.090 0.160
14K	1.984	0.477	0.681	0.459	0.713	0.191	0.078 0.139
10K	1.743	0.419	0.598	0.403	0.626	0.168	0.069 0.122
9K	1.688	0.406	0.579	0.391	0.607	0.163	0.067 0.118
PT950	2.994	0.719	1.028	0.693	1.076	0.289	0.118 0.210
PT900	2.994	0.719	1.028	0.693	1.076	0.289	0.118 0.210
銀	1.540	0.370	0.529	0.356	0.554	0.149	0.061 0.108



記憶手鐲系列
Memory Bangles Series

內雙管圖示



KXN-BRD18B

外雙管圖示




KXW-BRD18B

單管、雙管、蛋形、圓形彈力手鐲尺寸對照表 Single, double, egg shaped, Round elastic bracelets table size						
尺寸	15# 52X42mm	16# 54X44mm	17# 56X46mm	18# 58X48mm	19# 60X50mm	20# 62X52mm
管外徑	1.5mm	1.5mm	1.5mm	1.5mm	1.5mm	1.5mm
管片厚	0.2-0.25mm	0.2-0.25mm	0.2-0.25mm	0.2-0.25mm	0.2-0.25mm	0.2-0.25mm
克/件	2.11	2.28	2.36	2.45	2.55	2.68
管外徑	2mm	2mm	2mm	2mm	2mm	2mm
管片厚	0.2-0.25mm	0.2-0.25mm	0.2-0.25mm	0.2-0.25mm	0.2-0.25mm	0.2-0.25mm
克/件	3.02	3.11	3.22	3.36	3.68	3.90
管外徑	2.5mm	2.5mm	2.5mm	2.5mm	2.5mm	2.5mm
管片厚	0.25-0.3mm	0.25-0.3mm	0.25-0.3mm	0.25-0.3mm	0.25-0.3mm	0.25-0.3mm
克/件	3.93	4.15	4.53	4.80	4.95	5.08
管外徑	3mm	3mm	3mm	3mm	3mm	3mm
管片厚	0.25-0.3mm	0.25-0.3mm	0.25-0.3mm	0.25-0.3mm	0.25-0.3mm	0.25-0.3mm
克/件	5.60	5.90	6.15	6.45	6.75	7.10



NS-BRDF1818



NS-BRDB3012方型

以上資料只供參考，一切以實物為準。
The information above is for reference only. The real object should be considered as final.



KX-BRDF202018B
正方形管



KX-BRDF175K
長方形管



KX-BRTG1PB
梯形管



KX-BRDG15K
橢圓形管



KX-BRY15K
圓形管



KXW-BRD15B
外雙管



KXN-BRD15B
內雙管

各款空心手鐲細節

正方形



長方形



梯形



橢圓形



圓形



外雙管



內雙管





記憶手鐲系列
Memory Bangles Series



DJX-BRDYX221QD+YZ80H



DJX-BRDBP251QB



圓管繞線空心手鐲/閉口
KX-BRDP2501B



U型坑紋鈦金手鐲/閉口
TJ-BRDU2501B



TJ-BRDSHGY271CK



TJ-BRDSHGBP47341CK



記憶手鐲系列
Memory Bangles Series



TJ-BRDP2001



TJ-BRDBP201QB



TJ-BRDP2002



TJ-BRDBP203CK



TJ-BRDB18230185CK



RXN-BRJ21+LC



記憶手镯系列
Memory Bangles Series



BRD-TK80255505H



BRDWLSK015200+MTL



TJ-BRY60D



TJ-BRD182QD-KXZ紅




KX-BRD18-D122E



KXBL-BRZFGT5930WDA



鑲口手鏈系列
Mounting Tennis Bracelets



BR-DPXKZL18WF20+134



BR-SPXKZL18WF25+137



TJ-BRDXKF26MQ40BB



BR-XKY5025+BX136-CNC



TJ-BRDXKY15F2015BBA



TJ-BRDXKY15F2015BBB



★ XKL023030153+BX



★ BR-XKL023030153+134

拉簧鑲口手鏈
Stretchable Mounting Bracelet

重量 (克 / 對)
weight (g/pr)



BRPL-LHNJXKY19



BRPL-LHXKFY25



BRPL-LHNLXKY40-3



BRPL-LHNLXKY70TD-5



拉簧珠手鍊系列
Spring Beads Bracelet Series



BR-LHZBY40



BR-LHZBY40HX+60HH



BR-LHZBY30HJ



BR-LHZBY40+BLXKY60B



BR-LHZBY40HX+60HH



拉簧珠手鏈系列
Spring Beads Bracelet Series

不銹鋼拉簧 Spring

直徑 18K 14K 10K 9K PT 銀

LHZBYT4060 g/inch 7寸約30粒



4mm 1.239 1.078 0.929 0.919 01.626 0.839

LHZBY30-LG g/inch 7寸約63粒



3mm 0.707 0.615 0.523 0.520 0.928 0.479

LHZBY40-LG g/inch 7寸約46粒



4mm 1.010 0.879 0.749 0.747 1.330 0.685

LHZBY50-LG g/inch 7寸約38粒



5mm 1.340 1.166 1.024 0.992 1.759 0.905

LHZBY60-LG g/inch 7寸約32粒



6mm 2.120 1.845 1.570 1.568 2.783 1.432

無裝不銹鋼拉簧 NO Spring

LHZYT4060 g/inch 7寸約18粒



4mm 0.754 0.656 0.566 0.558 0.990 0.511

LHZY30-LG g/inch 7寸約45粒



3mm 0.575 0.500 0.426 0.422 0.755 0.390

LHZY40-LG g/inch 7寸約32粒



4mm 0.765 0.665 0.566 0.568 1.004 0.518

LHZY50-LG g/inch 7寸約27粒



5mm 0.991 0.862 0.757 0.733 1.301 0.669

LHZY60-LG g/inch 7寸約21粒



6mm 1.370 1.192 1.014 1.013 1.798 0.925





記憶戒指系列
Memory Ring Series



TJ-RBP201QD



TJ-RP1502



TJ-RBP203CK



NS-R1



DJP-RN184115M



TJ-RZZY251QB



KX-RY12B



TJ-RZZY202QS



TJ-RWKS015200+MTL



RXN-RJ201QM

18K: 1.31
14K: 1.14
10K: 1.00
9K: 0.97
PT: 1.72
銀: 0.88



R-LHZBY30

18K: 1.67
14K: 1.45
10K: 1.28
9K: 1.24
PT: 2.19
銀: 1.13



R-LHZBY30HJ

18K: 1.80
14K: 1.57
10K: 1.38
9K: 1.33
PT: 2.36
銀: 1.22



R-TK8025550H

18K: 2.07
14K: 1.80
10K: 1.58
9K: 1.53
PT: 2.72
銀: 1.40



R-DPXKZL18WF20

18K: 2.58
14K: 2.25
10K: 1.97
9K: 1.91
PT: 3.39
銀: 1.74



RPL-001-SXNZGJ42

港度: 13#
18K: 3.04
14K: 2.65
10K: 2.28
9K: 2.25
銀: 2.10



RPL-001-SXNZXK42

港度: 13#
18K: 2.88
14K: 2.51
10K: 2.16
9K: 2.13
銀: 1.99



空心耳環
Hollow Earring Series



KX-EYZJ2520EZ



KX-EYYY18XXEZ



編號: E20-YZ30
18K:0.72
14K:0.63
10K:0.55
9K:0.53
PT:0.95
銀:0.49



編號: E42
18K:0.43
14K:0.37
10K:0.33
9K:0.32
PT:0.56
銀:0.29



編號: KX-EY1012
18K:0.48
14K:0.42
10K:0.37
9K:0.36
PT:0.63
銀:0.32

管徑: 1mm 圈外徑: 12mm



編號: KX-EY2020EZ
18K:2.07
14K:1.80
10K:1.58
9K:1.53
PT:2.72
銀:1.40

管徑: 2mm 圈外徑: 20mm



編號: DJX-EY30
18K:1.68
14K:1.46
10K:1.28
9K:1.24
PT:2.21
銀:1.13

線徑: 0.8mm 圈內徑: 30mm



編號: KX-EY1640
18K:3.50
14K:3.05
10K:2.67
9K:2.59
PT:4.59
銀:2.36

管徑: 1.6mm 圈外直徑: 40mm



編號: KX-EY31H1-WF
18K:8.20
14K:7.13
10K:6.27
9K:6.07
PT:10.76
銀:5.54

管徑: 1.5mm 圈外徑: 31mm



編號: KX-EYF2044EZ(方型管)
18K:5.42
14K:4.72
10K:4.14
9K:4.01
PT:7.11
銀:3.66

管徑: 2x2mm 圈外徑: 44mm



平臺迫系列
Compatible Nuts Series

重量 (克 / 對)
weight (g/pr)

	TE040	TE045B	TE050	TE055B	TE060	TE065
片徑 X 高 mm	4.0X3.7	4.6X3.7	5.0X4.6	5.5X4.9	6X5	6.5X5.5
18K	0.370	0.400	0.570	0.720	0.910	1.200
14K	0.322	0.348	0.496	0.626	0.792	1.044
10K	0.283	0.306	0.435	0.550	0.695	0.917
9K	0.274	0.296	0.422	0.533	0.673	0.888
PT	0.486	0.525	0.748	0.945	1.194	1.575
銀	0.250	0.270	0.385	0.486	0.614	0.810

	TE070	TE075	TE080	TE090	TE090A	TE110
片徑 X 高 mm	7.0X5.4	7.5X5.5	8X6	9X5.9	9X6.5	10X6
18K	1.260	1.380	1.800	2.000	2.500	2.300
14K	1.096	1.201	1.566	1.740	2.175	2.001
10K	0.963	1.054	1.375	1.528	1.910	1.757
9K	0.932	1.021	1.332	1.480	1.850	1.702
PT	1.654	1.811	2.363	2.625	3.281	3.019
銀	0.851	0.932	1.215	1.350	1.688	1.553

	TE183-XX060	TE183-XX070	TE183-XX080	TE176-6	TE176-7	TE176-8	TE176-9	TE176-10
片徑 X 高 mm	5.9X5.2X3.5	7X6.5X3.6	8X7X4.6	6.0X4.5	7.0X4.8	8.0X5.8	9.0X5.7	10X5.9
18K	0.380	0.470	0.700	0.550	0.723	1.200	1.250	1.420
14K	0.331	0.409	0.609	0.478	0.629	1.044	1.086	1.235
10K	0.290	0.359	0.535	0.407	0.535	0.888	0.925	1.051
9K	0.281	0.348	0.518	0.405	0.528	0.880	0.908	1.050
PT	0.499	0.617	0.919	0.722	0.949	1.575	1.641	1.864
銀	0.257	0.317	0.473	0.373	0.490	0.812	0.962	0.847

	TE121	TE122	TE123	TE133	TE124	TE127	TE158	TE166
片徑 X 高 mm	6.4X5.2	8.0X5.8	10X6.2	6X4	8X4	10X5.9	5.7X5.7	9X6X4.8
18K	1.250	1.670	2.800	0.550	0.650	1.750	0.770	0.880
14K	1.088	1.453	2.440	0.479	0.566	1.523	0.670	0.766
10K	0.955	1.276	2.100	0.420	0.497	1.337	0.588	0.672
9K	0.925	1.236	2.070	0.407	0.481	1.295	0.570	0.651
PT	1.641	2.192	3.680	0.722	0.853	2.297	1.011	1.155
銀	0.844	1.127	1.900	0.371	0.439	1.181	0.520	0.594



螺絲迫系列
Posts And Eearnts

							重量 (克 / 對) weight (g/pr)
EN101 6.3X4.3 10X1.0	EN102 6.9X4.3 10X1.0	EN103 4.5X3.4 10X1.0	EN240 4.0X3.6 12X1.0	EN246 4.6X3.6 12X1.0	EN251 5.0X4.7 12X1.0	EN260 6.0X5.0 12X1.0	EB01 螺絲拍扣 15X10 15mm 10mm
18K 0.580/對	0.650/對	0.480/對	0.590/對	0.620/對	0.810/對	1.150/對	1.780/對
14K 0.505/對	0.566/對	0.418/對	0.513/對	0.539/對	0.705/對	1.001/對	1.549/對
10K 0.443/對	0.497/對	0.367/對	0.451/對	0.474/對	0.619/對	0.879/對	1.353/對
9K 0.429/對	0.481/對	0.355/對	0.437/對	0.459/對	0.599/對	0.851/對	1.317/對
PT 0.761/對	0.853/對	0.630/對	0.774/對	0.814/對	1.063/對	1.509/對	2.337/對
銀 0.392/對	0.439/對	0.324/對	0.398/對	0.419/對	0.547/對	0.776/對	1.198/對

耳針系列
Ear Pin Series

	EP00 無凹位	EP00A 螺旋耳針	EP01 2個凹位	EP02 1個凹位	EP07 1個凹位	EP133 1個凹位
線徑 X 長 mm	φ0.8X11	φ1X12	φ0.8X11	φ0.8X11	φ0.8X11	φ1.1X10
18K	0.160	0.230	0.160	0.160	0.160	0.262
14K	0.139	0.200	0.139	0.139	0.139	0.228
10K	0.122	0.176	0.122	0.122	0.122	0.200
9K	0.118	0.170	0.118	0.118	0.118	0.194
PT	0.210	0.302	0.210	0.210	0.210	0.344
銀	0.108	0.155	0.108	0.108	0.108	0.177

飛碟迫系列
Locked Nuts Series

TX052 6.0x7.5 12X0.85	TX052A 6.0x8.8 12X1.0	TX050 7.0X8.0 12X0.85	TX050A 7.0X8.8 12X0.85	TX054-80 8.0x10.5 12X0.85	TX053 10.1x12.4 12X1.0
18K 0.670	0.770	0.960	1.060	1.270	1.950
14K 0.583	0.669	0.835	0.922	1.105	1.696
10K 0.512	0.569	0.733	0.810	0.939	1.443
9K 0.496	0.568	0.710	0.784	0.931	1.440
PT 0.879	1.010	1.260	1.391	1.667	2.559
銀 0.452	0.521	0.648	0.716	0.860	1.321

卷迫系列
Earring Nuts Series

TO040 4.0X2.5	TO041 4.1X3.0	TO042 4.2X3.1	TO045 4.6X2.7	TO046 4.5X3.3	TO050 5.0X3.0	TO051 5.0X4.2
18K 0.170	0.220	0.220	0.220	0.220	0.290	0.450
14K 0.148	0.191	0.191	0.191	0.191	0.252	0.392
10K 0.130	0.168	0.168	0.168	0.168	0.222	0.344
9K 0.126	0.163	0.163	0.163	0.163	0.215	0.333
PT 0.223	0.289	0.289	0.289	0.289	0.381	0.591
銀 0.115	0.149	0.149	0.149	0.149	0.196	0.304





卷迫系列
Earring Nuts Series

重量 (克 / 對)
weight (g/pr)

	TO052	TO055	TO057	TO060	TO062	TO116
寬 X 高 mm	5.1X3.4	5.6X3.4	5.4X3.2	5.8X3.4	3.7X3.2	5.9X3.3
18K	0.420	0.320	0.280	0.440	0.280	0.630
14K	0.365	0.278	0.244	0.383	0.244	0.548
10K	0.321	0.244	0.214	0.336	0.214	0.481
9K	0.311	0.237	0.207	0.326	0.207	0.466
PT	0.551	0.420	0.368	0.578	0.368	0.827
銀	0.284	0.216	0.189	0.297	0.189	0.425

梅花迫系列
Blossom Nuts Series

	TB040	TB042	TB043	TB044	TB045	TB046	TB047
寬 X 高 mm	4X2.5	4.2X2.4	4.0X3.0	4.5X3.0	4.0X2.8	4.6X3.6	4.7X3.0
18K	0.150	0.130	0.200	0.200	0.200	0.330	0.220
14K	0.131	0.113	0.174	0.174	0.174	0.287	0.191
10K	0.115	0.099	0.153	0.153	0.153	0.252	0.168
9K	0.111	0.096	0.148	0.148	0.148	0.244	0.163
PT	0.197	0.171	0.263	0.263	0.263	0.433	0.289
銀	0.101	0.088	0.135	0.135	0.135	0.223	0.149

	TB048	TB048A	TB050	TB051	TB055	TB056	TB065
寬 X 高 mm	4.8X2.7	4.8X2.8	5.0X3.0	5.0X2.6	5.7X3.5	4.6X3.2	4.7X3.1
18K	0.200	0.210	0.230	0.151	0.360	0.290	0.240
14K	0.174	0.183	0.200	0.131	0.313	0.252	0.209
10K	0.153	0.160	0.176	0.112	0.275	0.222	0.183
9K	0.148	0.155	0.170	0.111	0.266	0.215	0.178
PT	0.263	0.276	0.302	0.198	0.473	0.381	0.315
銀	0.135	0.142	0.155	0.102	0.243	0.196	0.162

	TB104	TB118	TB119	TB120	TB121	TB122	TB123
寬 X 高 mm	6.6X3.5	4.3X3.0	6.0X3.6	4.3X3.1	4.1X2.5	5.0X3.3	4.5X3.2
18K	0.440	0.150	0.360	0.320	0.130	0.430	0.220
14K	0.383	0.131	0.313	0.280	0.113	0.374	0.191
10K	0.336	0.115	0.275	0.240	0.099	0.329	0.168
9K	0.326	0.111	0.266	0.230	0.096	0.318	0.163
PT	0.578	0.197	0.473	0.420	0.171	0.564	0.289
銀	0.297	0.101	0.243	0.220	0.088	0.290	0.149

以上資料只供參考，一切以實物為準。
The information above is for reference only. The real object should be considered as final.



珠盤系列
Pearl/Stone Series

重量 (克 / 對)
weight (g/pr)



盤徑 mm	3.5	3.5	5.0	2.5	3.0	4.0	4.5
18K	0.460	0.260	0.350	0.220	0.240	0.300	0.300
14K	0.400	0.226	0.305	0.191	0.209	0.261	0.261
10K	0.351	0.199	0.267	0.168	0.183	0.229	0.229
9K	0.340	0.192	0.259	0.163	0.178	0.222	0.222
PT	0.604	0.341	0.459	0.289	0.315	0.394	0.394
銀	0.311	0.176	0.236	0.149	0.162	0.203	0.203



盤徑 mm	6.0	8.0	4.5	7.0	5.0	4.5
18K	0.400	0.610	0.330	0.530	0.420	0.210
14K	0.348	0.531	0.287	0.461	0.365	0.183
10K	0.306	0.466	0.252	0.405	0.321	0.160
9K	0.296	0.451	0.244	0.392	0.311	0.155
PT	0.525	0.801	0.433	0.696	0.551	0.276
銀	0.270	0.412	0.223	0.358	0.284	0.142

線拍座系列
Omega Clips Series



尺寸	14.5*0.7*珠盤2.5	14.5*0.7*珠盤3	14.5*0.7*珠盤3.5	14.5*0.7*珠盤4
18K	0.200	0.210	0.220	0.230
14K	0.174	0.183	0.191	0.200
10K	0.153	0.160	0.168	0.176
9K	0.148	0.155	0.163	0.170
PT	0.263	0.276	0.289	0.302
銀	0.135	0.142	0.149	0.155



高 X 線徑 mm	8.3X8.5
18K	0.950
14K	0.827
10K	0.726
9K	0.703
PT	1.247
銀	0.641

以上資料只供參考，一切以實物為準。
The information above is for reference only. The real object should be considered as final.



線拍系列
Ear Clips Series

重量 (克 / 對)
weight (g/pr)



TC514A



TC515



TC516



TC517



TC518



TC519



TC523

高 X 線徑 mm	14X0.9	15X1.0	16X1.0	17X1.0	18X1.0	19X1.0	13X1.2
18K	0.730	0.890	0.920	0.980	1.030	1.100	1.050
14K	0.635	0.774	0.800	0.853	0.896	0.957	0.914
10K	0.558	0.680	0.703	0.749	0.787	0.840	0.798
9K	0.540	0.659	0.681	0.725	0.762	0.814	0.777
PT	0.958	1.168	1.208	1.286	1.352	1.444	1.379
銀	0.493	0.601	0.621	0.662	0.695	0.743	0.707



TC524



TC525



TC526



TC527



TC528



TC529



TC535

高 X 線徑 mm	14X1.2	15X1.2	16X1.2	17X1.2	18X1.2	19X1.2	15X1.1
18K	1.150	1.250	1.310	1.370	1.460	1.520	0.920
14K	1.001	1.088	1.140	1.192	1.270	1.322	0.800
10K	0.879	0.955	1.001	1.047	1.115	1.161	0.703
9K	0.851	0.925	0.969	1.014	1.080	1.125	0.681
PT	1.509	1.641	1.719	1.798	1.916	1.995	1.208
銀	0.776	0.844	0.884	0.925	0.986	1.026	0.621



TC5120



TC5135



TC5145



TC5152



TC5160



TC5195



TC5220

高 X 線徑 mm	20X1.0	13.5X0.9	14X1.0	15X0.85	16X1.1	19.5X1	20X1.2
18K	1.140	0.580	0.860	0.650	1.100	1.310	1.700
14K	0.992	0.505	0.748	0.566	0.957	1.140	1.479
10K	0.871	0.443	0.657	0.497	0.840	1.001	1.299
9K	0.844	0.429	0.636	0.481	0.814	0.969	1.258
PT	1.496	0.761	1.129	0.853	1.444	1.719	2.231
銀	0.770	0.392	0.581	0.439	0.743	0.884	1.148

以上資料只供參考，一切以實物為準。

The information above is for reference only. The real object should be considered as final.



線拍系列
Ear Clips Series

重量 (克 / 對)
weight (g/pr)



TC001



TC003



TC010



TC011



TC012



TC013



TC014

高 X 线径 mm	11X0.8	13X0.8	10X0.9	11X0.9	12X0.9	13X0.9	14X0.9
18K	0.400	0.500	0.430	0.510	0.560	0.620	0.640
14K	0.348	0.435	0.374	0.444	0.487	0.539	0.557
10K	0.306	0.382	0.329	0.390	0.428	0.474	0.489
9K	0.296	0.370	0.318	0.377	0.414	0.459	0.474
PT	0.525	0.656	0.564	0.669	0.735	0.814	0.840
银	0.270	0.338	0.290	0.344	0.378	0.419	0.432



TC015



TC016



TC017



TC018



TC019



TC143



TC16

高 X 线径 mm	15X0.9	16X0.9	17X0.9	18X0.9	19X0.9	14X1.0	16X0.9
18K	0.690	0.750	0.780	0.840	0.850	0.820	0.800
14K	0.600	0.653	0.679	0.731	0.740	0.713	0.696
10K	0.527	0.573	0.596	0.642	0.649	0.626	0.611
9K	0.511	0.555	0.577	0.622	0.629	0.607	0.592
PT	0.906	0.984	1.024	1.103	1.116	1.076	1.050
银	0.466	0.506	0.527	0.567	0.574	0.554	0.540



TC503



TC504



TC506



TC506A



TC512



TC513



TC514

高 X 线径 mm	13X0.8	14X0.9	16X0.8	16X0.9	12X1.0	13X1.0	14X1.0
18K	0.480	0.670	0.610	0.720	0.680	0.780	0.800
14K	0.418	0.583	0.531	0.626	0.592	0.679	0.696
10K	0.367	0.512	0.466	0.550	0.520	0.596	0.611
9K	0.355	0.496	0.451	0.533	0.503	0.577	0.592
PT	0.630	0.879	0.801	0.945	0.893	1.024	1.050
银	0.324	0.452	0.412	0.486	0.459	0.527	0.540



美拍系列
Omega Clips Series

重量 (克 / 對)
weight (g/pr)



TP011



TP011A



TP012



TP013



TP014



TP015

高 X 線徑 mm	11X1.2	11X1.2	12X1.2	13X1.2	14X1.2	15X1.2
18K	0.840	0.860	0.940	1.000	1.100	1.160
14K	0.731	0.748	0.818	0.870	0.957	1.009
10K	0.642	0.657	0.718	0.764	0.840	0.886
9K	0.622	0.636	0.696	0.740	0.814	0.858
PT	1.103	1.129	1.234	1.313	1.444	1.523
銀	0.567	0.581	0.635	0.675	0.743	0.783



TP015D



TP016



TP017



TP017D



TP018

高 X 線徑 mm	15X1.2	16X1.2	17X1.2	17X1.2	18X1.2
18K	1.160	1.260	1.320	1.320	1.400
14K	1.009	1.096	1.148	1.148	1.218
10K	0.886	0.963	1.008	1.008	1.070
9K	0.858	0.932	0.977	0.977	1.036
PT	1.523	1.654	1.733	1.733	1.838
銀	0.783	0.851	0.891	0.891	0.945



TP019



TP012B



TP015B



TP017B



TP017CB

高 X 線徑 mm	19X1.2	12X1.2	15X1.2	17X1.2	17X1.2
18K	1.520	0.870	1.070	1.200	1.200
14K	1.322	0.757	0.931	1.044	1.044
10K	1.161	0.665	0.817	0.917	0.917
9K	1.125	0.644	0.792	0.888	0.888
PT	1.995	1.142	1.404	1.575	1.575
銀	1.026	0.587	0.722	0.810	0.810

以上資料只供參考，一切以實物為準。
The information above is for reference only. The real object should be considered as final.



耳環爪頭
Earring Settings

重量 (克 / 對)
weight (g/pr)



	ER01	ER02	ER03	ER04	ER04B
爪徑 X 高 mm	2.5X3	2.2X2.6	3.5x3.5	5.7x5	5.7x5
18K	0.250	0.300	0.300	0.480	0.480
14K	0.218	0.261	0.261	0.418	0.418
10K	0.191	0.229	0.229	0.367	0.367
9K	0.185	0.222	0.222	0.355	0.355
PT	0.328	0.394	0.394	0.630	0.630
銀	0.169	0.203	0.203	0.324	0.324

袖口鉤
Cuff Link



	CL02	CL03	CL04
18K	2.450	2.500	5.450
14K	2.132	2.236	4.742
10K	1.872	1.963	4.164
9K	1.813	1.902	4.033
PT	3.216	3.373	7.153
銀	1.654	1.735	3.679



	CL05	CL06	CL07	CL08
18K	4.970	4.270	3.920	5.100
14K	4.324	3.715	3.410	4.437
10K	3.797	3.262	2.995	3.896
9K	3.678	3.160	2.901	3.774
PT	6.523	5.604	5.145	6.694
銀	3.355	2.882	2.646	3.443





耳線、耳鉤
Earring Hooks

重量 (克/對)
Weight (g/pr)



TH01
焊滴



TH02
焊滴



TH03
焊滴



TH24
焊圈



TH22
焊圈



TH25
焊圈



TH05
繞線



TH17
繞線

線徑 mm	0.7	0.7	0.7	0.5/0.8	0.5/0.8	0.5/0.9	0.7	0.4/0.75
18K	0.160	0.190	0.200	0.360	0.500	0.580	0.500	0.560
14K	0.139	0.165	0.174	0.313	0.435	0.505	0.435	0.487
10K	0.122	0.145	0.153	0.275	0.382	0.443	0.382	0.428
9K	0.118	0.141	0.148	0.266	0.370	0.429	0.370	0.414
PT	0.210	0.249	0.263	0.473	0.656	0.761	0.656	0.735
銀	0.108	0.128	0.135	0.243	0.338	0.392	0.338	0.378



TH18
繞線



TH04



TH07



TH11



TH12



TH06



TH09



TH10

線徑 mm	0.8	0.65	0.5	0.7	0.55	1.0	0.75	0.7
18K	0.760	0.180	0.260	0.230	0.230	0.630	0.440	0.200
14K	0.661	0.157	0.226	0.200	0.200	0.548	0.383	0.174
10K	0.581	0.138	0.199	0.176	0.176	0.481	0.336	0.153
9K	0.562	0.133	0.192	0.170	0.170	0.466	0.326	0.148
PT	0.998	0.236	0.341	0.302	0.302	0.827	0.578	0.263
銀	0.513	0.122	0.176	0.155	0.155	0.425	0.297	0.135



TH13



TH14



TH19



TH23



TH08



TH15



TH16



TH21

線徑 mm	0.8	0.8	0.75	0.85	0.55/0.65	0.7	0.7	0.8
18K	0.480	0.470	0.320	0.500	0.250	0.420	0.430	0.610
14K	0.418	0.409	0.278	0.435	0.218	0.365	0.374	0.531
10K	0.367	0.359	0.244	0.382	0.191	0.321	0.329	0.466
9K	0.355	0.348	0.237	0.370	0.185	0.311	0.318	0.451
PT	0.630	0.617	0.420	0.656	0.328	0.551	0.564	0.801
銀	0.324	0.317	0.216	0.338	0.169	0.284	0.290	0.412

以上資料只供參考，一切以實物為準。
The information above is for reference only. The real object should be considered as final.



四爪頭系列
Four Prong Round Peg Setting

重量(克/個)
Weight(g/piece)

內徑 X 高 mm	3.8X5	4.1X4.9	4.2X5.1	4.8X5.1	5.2X5.6	5.8X7.6	6.5X6.5	2.5X3.5
ct	0.2	0.25	0.3	0.4	0.5	0.75	1.0	0.07
18K	0.260	0.260	0.300	0.273	0.367	0.482	0.533	0.193
14K	0.226	0.226	0.261	0.238	0.319	0.419	0.464	0.168
10K	0.199	0.199	0.229	0.209	0.280	0.368	0.407	0.147
9K	0.192	0.192	0.222	0.202	0.272	0.357	0.394	0.143
PT	0.341	0.341	0.394	0.358	0.482	0.633	0.700	0.253
銀	0.176	0.176	0.203	0.184	0.248	0.325	0.360	0.130

內徑 X 高 mm	3X3.5	3.2x4.5	3.4X4.7	3.8X5	4.1X5.1	4.2X5.5	4.8X5.6	5.2X5.6
ct	0.1	0.12	0.15	0.2	0.25	0.3	0.4	0.4/0.5
18K	0.203	0.187	0.183	0.210	0.265	0.290	0.320	0.362
14K	0.177	0.163	0.159	0.183	0.231	0.252	0.278	0.315
10K	0.155	0.143	0.140	0.160	0.202	0.222	0.244	0.277
9K	0.150	0.138	0.135	0.155	0.196	0.215	0.237	0.268
PT	0.266	0.245	0.240	0.276	0.348	0.381	0.420	0.475
銀	0.137	0.126	0.124	0.142	0.179	0.196	0.216	0.244

內徑 X 高 mm	5.5X6	5.8X6.5	6.5X7.1	7X6.6	7.4X7.3	8.2X7.8	5.2X7.9	5.8X8.2
ct	0.65	0.75	1.0	1.25	1.5	2.0	0.5	0.75
18K	0.397	0.548	0.630	0.688	0.754	1.030	0.520	0.668
14K	0.345	0.477	0.548	0.599	0.656	0.896	0.452	0.581
10K	0.303	0.419	0.481	0.526	0.576	0.787	0.397	0.510
9K	0.294	0.406	0.466	0.509	0.558	0.762	0.385	0.494
PT	0.521	0.719	0.827	0.903	0.990	1.352	0.683	0.877
銀	0.268	0.370	0.425	0.464	0.509	0.695	0.351	0.451

內徑 X 高 mm	6.5X8.4	6.5X6.9	7X6.8	7.4X6.6	8.2X6.7	4.2X6.1	5.2X7.7	6.5X7.7
ct	1.0	1.0	1.25	1.5	2.0	0.3	0.5	1.0
18K	0.740	0.850	0.860	0.820	0.850	0.250	0.510	0.800
14K	0.644	0.740	0.748	0.713	0.740	0.218	0.444	0.696
10K	0.565	0.649	0.657	0.626	0.649	0.190	0.390	0.611
9K	0.548	0.629	0.636	0.607	0.629	0.185	0.377	0.592
PT	0.971	1.116	1.129	1.076	1.116	0.328	0.669	1.050
銀	0.500	0.574	0.581	0.554	0.574	0.168	0.344	0.540





六爪頭系列
Six Prong Round Peg Setting

重量 (克 / 個)
weight(g/pc)

	TA4025	TA4030	TA4040	TA4050	TC4025	TC4030	TC4040	TC4050
內徑 X 高 mm	4.1X4.7	4.2X5.1	4.8X5.8	4.8X6.4	4.1X4.7	4.2X5.1	4.8X5.1	5.2X5.4
ct	0.25	0.3	0.4	0.5	0.25	0.3	0.4	0.5
18K	0.300	0.400	0.530	0.550	0.300	0.350	0.500	0.380
14K	0.261	0.348	0.461	0.479	0.261	0.305	0.435	0.331
10K	0.229	0.306	0.405	0.420	0.229	0.267	0.382	0.290
9K	0.222	0.296	0.392	0.407	0.222	0.259	0.370	0.281
PT	0.394	0.525	0.696	0.722	0.394	0.459	0.656	0.499
銀	0.203	0.270	0.358	0.371	0.203	0.236	0.338	0.257

	TC4060	TC4075	TC4100	TC4120	TC4125	TC4150	TC4200	TC6030
內徑 X 高 mm	5.3X5.8	5.8X6.1	6.5X5.6	7X6.8	7X6.8	7.4X6.8	8.2X7.3	4.2X6.3
ct	0.6	0.75	1.0	1.2	1.25	1.5	2.0	0.3
18K	0.450	0.560	0.600	0.800	0.630	0.850	1.040	0.530
14K	0.392	0.487	0.522	0.696	0.548	0.740	0.905	0.461
10K	0.344	0.428	0.458	0.611	0.481	0.649	0.795	0.405
9K	0.333	0.414	0.444	0.592	0.466	0.629	0.770	0.392
PT	0.591	0.735	0.788	1.050	0.827	1.116	1.365	0.696
銀	0.304	0.378	0.405	0.540	0.425	0.574	0.702	0.358

	TC6040	TC6050	TC6065	TC6075	TC6100	TC6150	FC4020	FC6125
內徑 X 高 mm	4.8X7.7	5.2X8.2	5.5X8.5	5.5X8.5	6.5X8.4	7.4X8.8	3.8X5.2	7X8.6
ct	0.4	0.5	0.65	0.75	1.0	1.5	0.2	1.25
18K	0.630	0.820	0.850	0.850	0.850	1.430	0.310	1.200
14K	0.548	0.713	0.740	0.740	0.740	1.244	0.270	1.044
10K	0.481	0.626	0.649	0.649	0.649	1.093	0.237	0.917
9K	0.466	0.607	0.629	0.629	0.629	1.058	0.229	0.888
PT	0.827	1.076	1.116	1.116	1.116	1.877	0.407	1.575
銀	0.425	0.554	0.574	0.574	0.574	0.965	0.209	0.810

	FD6025	FD6050	FD6065	FD6075	FD6100	FD6125	FD6150	FD6200
內徑 X 高 mm	4.1X5.2	5.2X5.5	5.5X5.8	5.8X5.7	6.5X6.5	7X10.2	7.4X6.6	8.2X6.8
ct	0.25	0.5	0.65	0.75	1.0	1.25	1.5	2.0
18K	0.740	0.850	0.860	0.820	0.860	0.880	0.950	1.070
14K	0.644	0.740	0.748	0.713	0.748	0.766	0.827	0.931
10K	0.565	0.649	0.657	0.626	0.657	0.672	0.726	0.817
9K	0.548	0.629	0.636	0.607	0.636	0.651	0.703	0.792
PT	0.971	1.116	1.129	1.076	1.129	1.155	1.247	1.404
銀	0.500	0.574	0.581	0.554	0.581	0.594	0.641	0.722



空心珠扣系列
Ball Clasp W/Ring

尺寸	RD:1.3mm 70 粒	RD:1.1mm 34 粒 RD:1.2mm 34 粒 RD:1.3mm 17 粒	5-8mm	KXZK-THY50-80					
	8.5*7.2mm								
產品編號	CSK002-BLY72	CSK001-BLY83	5mm	6mm	7mm	8mm	9mm	10mm	
18K	1.48	1.27	0.65	0.90	1.18	1.56	2.13	3.15	
14K	1.29	1.11	0.57	0.78	1.03	1.36	1.85	2.74	
10K	1.13	0.97	0.50	0.69	0.89	1.17	1.60	2.36	
9K	1.09	0.94	0.48	0.67	0.87	1.15	1.58	2.33	
PT950	1.94	1.67	0.85	1.18	1.55	2.05	2.80	4.13	
銀	0.10	0.86	0.44	0.61	0.81	1.08	1.47	2.17	



KXZK-PL91-35YZ50	KXZK-PL91-40YZ60	KXZK-PL91-45YZ70	KXZK-PL91-50YZ80
直徑: 5mm	直徑: 6mm	直徑: 7mm	直徑: 8mm
18K: 0.350g	18K: 0.600g	18K: 0.850g	18K: 1.100g
14K: 0.305g	14K: 0.522g	14K: 0.740g	14K: 0.957g
10K: 0.267g	10K: 0.458g	10K: 0.649g	10K: 0.840g
9K: 0.259g	9K: 0.444g	9K: 0.629g	9K: 0.814g
PT950: 0.459g	PT950: 0.788g	PT950: 1.116g	PT950: 1.444g
銀: 0.236g	銀: 0.405g	銀: 0.574g	銀: 0.743g

以上資料只供參考，一切以實物為準。 H代表車花，SH代表閃O，S代表壓扁。
The information above is for reference only. The real object should be considered as final. H is Diamond Cut, SH is flash with Diamond Cut, S is Squashed.



耳環扣系列
Earring Settings

重量 (克 / 對)
weight(g/pr)



寬 X 高 mm	LB01 9.5X16	LB01B 8X9	LB02 10X14.5	LB02B 9X9.5	LB03 9X16.5	LB03B 6X11	LB04 9X16.5	LB04B 9X10.5	LB05B 8X8.5
18K	0.880	0.400	0.760	0.450	0.890	0.450	0.870	0.450	0.330
14K	0.766	0.348	0.661	0.392	0.774	0.392	0.757	0.392	0.287
10K	0.672	0.306	0.581	0.344	0.680	0.344	0.665	0.344	0.252
9K	0.651	0.296	0.562	0.333	0.659	0.333	0.644	0.333	0.244
PT	1.155	0.525	0.998	0.591	1.168	0.591	1.142	0.591	0.433
銀	0.594	0.270	0.513	0.304	0.601	0.304	0.587	0.304	0.223



寬 X 高 mm	LB06 9.5X14	LB06B 9X9.5	LB06C 9X9.5	LB07 7X16.5	LB07C 6X11.5	LB09 9.5X16	LB09B 6X11	LB11 9X16.5	LB11B 10X11
18K	0.760	0.380	0.501	0.970	0.600	0.980	0.450	0.970	0.620
14K	0.661	0.331	0.435	0.844	0.522	0.853	0.392	0.844	0.539
10K	0.581	0.290	0.370	0.741	0.458	0.749	0.344	0.741	0.474
9K	0.562	0.281	0.370	0.718	0.444	0.725	0.333	0.718	0.459
PT	0.998	0.499	0.658	1.273	0.788	1.286	0.591	1.273	0.814
銀	0.513	0.257	0.339	0.655	0.405	0.662	0.304	0.655	0.419



寬 X 高 mm	LB16 9X16	LB16B 8.5X10.5	LB17 9X16.5	LB17B 9X9	LB19 9X13	LB19B 8X10	LB21 9X14	LB21B 7.7X10
18K	0.770	0.450	0.900	0.560	0.800	0.450	0.840	0.500
14K	0.670	0.392	0.783	0.487	0.696	0.392	0.731	0.435
10K	0.588	0.344	0.688	0.428	0.611	0.344	0.642	0.382
9K	0.570	0.333	0.666	0.414	0.592	0.333	0.622	0.370
PT	1.011	0.591	1.181	0.735	1.050	0.591	1.103	0.656
銀	0.520	0.304	0.608	0.378	0.540	0.304	0.567	0.338



寬 X 高 mm	LB14B 7X10.7	LB10C(有片) 8X10	LB13C(有片) 10X10.5	LB15C(有片) 10X8.5
18K	0.280	0.510	0.730	0.400
14K	0.244	0.444	0.635	0.348
10K	0.214	0.390	0.558	0.306
9K	0.207	0.377	0.540	0.296
PT	0.368	0.669	0.958	0.525
銀	0.189	0.344	0.493	0.270

以上資料只供參考，一切以實物為準。
The information above is for reference only. The real object should be considered as final.



扣系列
Clasp Series

重量 (克 / 件)
weight(g/piece)

	LC01	LC06	LC02	LC05	LC29	LC34
長X寬X厚mm	8.1X3.3X2.5	9X3.5X2.5	10X4X2	12X4.5X2.5	8.3x4.5x2	9.5X5.5X2.5
18K	0.390	0.430	0.600	0.780	0.380	0.550
14K	0.340	0.374	0.522	0.679	0.331	0.479
10K	0.290	0.329	0.458	0.596	0.290	0.420
9K	0.288	0.318	0.444	0.577	0.281	0.407
PT	0.511	0.564	0.788	1.024	0.499	0.722
銀	0.263	0.290	0.405	0.527	0.257	0.371

	LC36	LC86	LC87	LC03	LC21	LC10
長X寬X厚mm	12X7X3	8.2X6X2.2	9.3X5.4X2.5	7.5x4.5x2	9x5x2.5	11x6x2
18K	0.980	0.410	0.510	0.330	0.430	0.600
14K	0.853	0.357	0.444	0.287	0.374	0.522
10K	0.749	0.303	0.383	0.252	0.318	0.458
9K	0.725	0.287	0.377	0.244	0.310	0.444
PT	1.286	0.538	0.669	0.433	0.563	0.788
銀	0.662	0.278	0.347	0.223	0.290	0.405

	LC110	LC16	TX06-03080	TX06-04100	TX616 (LC503)	TX611
長X寬X厚mm	13X7X2.5	16X8.5X3	8.2X3.4X2.1	10X4X2	9.4X3.7X1.7	10.6X4.9X1.8
18K	1.100	1.740	0.165	0.200	0.280	0.360
14K	0.957	1.510	0.144	0.174	0.244	0.313
10K	0.840	1.310	0.126	0.153	0.214	0.275
9K	0.814	1.290	0.122	0.148	0.207	0.266
PT	1.444	2.280	0.217	0.263	0.368	0.473
銀	0.743	1.200	0.111	0.135	0.189	0.243

	LC134-YY	LC133-XYY	LC133-DYY	LC143	LC98	TX132
長X寬X厚mm	11.2X5.2X2.6	12.1X4.9X3.2	12.1X4.9X3.2	10.7X6.1X2.3	8.7X5.5X2.6	15X4X2.5
18K	0.490	0.950	1.190	0.500	0.410	0.670
14K	0.426	0.827	1.035	0.435	0.357	0.583
10K	0.368	0.713	0.893	0.375	0.308	0.509
9K	0.363	0.703	0.881	0.370	0.303	0.496
PT	0.643	1.247	1.562	0.656	0.538	0.880
銀	0.332	0.644	0.806	0.339	0.278	0.451





扣系列
Clasp Series

重量 (克/件)
Weight (g/pc)



長X寬X厚 mm	LC58-SKGJ	LC82-XM	LC82-HL	LC93-11	LC07-FDX	LC22
18K	0.550	0.620	0.820	0.400	0.230	0.830
14K	0.479	0.539	0.713	0.348	0.200	0.722
10K	0.407	0.459	0.607	0.300	0.170	0.614
9K	0.385	0.434	0.574	0.296	0.161	0.581
PT	0.722	0.814	1.076	0.525	0.301	10.89
銀	0.373	0.420	0.555	0.271	0.156	0.562



長X寬X厚 mm	LCPL-006-CNC	LC38-X	KXMTKBL10	LC35	LC49-9546	LC72-10
18K	0.460	0.290	0.430	0.270	0.4	0.770
14K	0.400	0.252	0.374	0.235	0.35	0.670
10K	0.345	0.222	0.318	0.203	0.306	0.580
9K	0.340	0.215	0.301	0.200	0.296	0.570
PT	0.604	0.381	0.564	0.354	0.525	1.020
銀	0.312	0.196	0.291	0.183	0.270	0.700



長X寬X厚 mm	LCPL-007-CNC	LCPL-008-CNC	LC38-CNC	LCPL-005-CNC	LCPL-013-CNC	LCPL-014-CNC
18K	0.490	0.480	0.520	0.420	0.610	0.630
14K	0.426	0.418	0.452	0.365	0.531	0.548
10K	0.368	0.360	0.390	0.315	0.458	0.473
9K	0.363	0.355	0.385	0.311	0.451	0.466
PT	0.643	0.630	0.683	0.551	0.801	0.827
銀	0.332	0.325	0.352	0.285	0.413	0.427



長X寬X厚 mm	BX137-1XK10	BX137-2XK10	BX137-3XK10	BX134-1	BX134-2	BX134-3
18K	0.830	1.102	1.720	0.820	1.000	1.380
14K	0.722	0.959	1.496	0.713	0.870	1.201
10K	0.623	0.842	1.290	0.615	0.750	1.035
9K	0.614	0.815	1.273	0.607	0.740	1.021
PT	1.089	1.446	2.258	1.077	1.313	2.061
銀	0.562	0.744	1.165	0.555	0.677	1.811

以上資料只供參考，一切以實物為準。
The information above is for reference only. The real object should be considered as final.



扣系列
Clasp Series

重量 (克 / 件)
Weight (g/pc)

長X寬X厚 mm	LC44-D 14X4X4	LC44-X 12X3.7X3.7	LC39-030 16X3.8X3.8	LC39-025 15X3.3X3.3	LC39-020 14X2.8X2.8
18K	1.393	0.667	1.382	1.016	0.729
14K	1.212	0.580	1.202	0.884	0.634
10K	1.064	0.510	1.056	0.776	0.557
9K	1.031	0.494	1.023	0.752	0.539
PT	1.828	0.875	1.814	1.334	0.957
銀	0.940	0.450	0.933	0.686	0.492

長X寬X厚 mm	LC41-L1204 15.0X4.0	LC68-L27150 15X2.7X2.7	ZK-021-SK 8.4X4.1X1.5	CSK003-Y4020+SQ 4.5X4.3	OTK-10160-T 1.0X16.3/1.4X8.8 KKG13090MWF+QZ
18K	0.500	0.590	0.650	0.230	0.660
14K	0.435	0.513	0.566	0.200	0.574
10K	0.370	0.443	0.488	0.173	0.495
9K	0.350	0.437	0.481	0.170	0.488
PT	0.656	0.774	0.853	0.853	0.866
銀	0.339	0.400	0.440	0.302	0.447

長X寬X厚 mm	LC47-2080 2X8	LC47-2090 2X9	LC47-5085 5X8.5	LC47-50100 5X10
18K	0.980	1.020	1.850	2.040
14K	0.853	0.887	1.610	1.775
10K	0.749	0.779	1.413	1.559
9K	0.725	0.755	1.369	1.510
PT	1.286	1.339	2.428	2.678
銀	0.662	0.689	1.249	1.377



水泡扣系列
Spring Round Lock

 1.7mm 6.6mm 10mm 18K: 0.600g 14K: 0.522g 10K: 0.458g 9K: 0.444g PT900: 0.788g PT950: 0.788g 銀: 0.405g	 2.0mm 8.0mm 12mm 18K: 0.900g 14K: 0.780g 10K: 0.675g 9K: 0.666g PT900: 1.180g PT950: 1.180g 銀: 0.620g	 2.6mm 9.8mm 15mm 18K: 1.600g 14K: 1.392g 10K: 1.222g 9K: 1.184g PT900: 2.100g PT950: 2.100g 銀: 1.080g
 3mm 12mm 18mm 18K: 2.800g 14K: 2.436g 10K: 2.139g 9K: 2.072g PT900: 3.675g PT950: 3.675g 銀: 1.890g	 3mm 14mm 20mm 18K: 3.400g 14K: 2.958g 10K: 2.598g 9K: 2.516g PT900: 4.463g PT950: 4.463g 銀: 2.295g	 2.1mm 12mm 2.1X12mm 18K: 1.120g 14K: 0.974g 10K: 0.856g 9K: 0.829g PT900: 1.470g PT950: 1.470g 銀: 0.756g

以上資料只供參考，一切以實物為準。
The information above is for reference only. The real object should be considered as final.

★ 已申請專利
Patent Acquired



鴨利制系列
Tongues Series

重量 (克 / 件)
weight(g/pc)

長 X 寬 mm	9.2X4.2	14X2.6	7.2X2.1	7.6X2.5	6.8X1.6	9.5X3.5
18K	0.320	0.150	0.120	0.160	0.080	0.260
14K	0.278	0.131	0.104	0.139	0.070	0.226
10K	0.244	0.115	0.092	0.122	0.061	0.199
9K	0.237	0.111	0.089	0.118	0.059	0.192
PT	0.420	0.197	0.158	0.210	0.105	0.341
銀	0.216	0.101	0.081	0.108	0.054	0.176

長 X 寬 mm	9.4X5.4	8.8X7.0	8.8X8.4	11X5.8	9.5X6.4	10.8X13.3
18K	0.180	0.230	0.260	0.310	0.210	0.500
14K	0.157	0.200	0.226	0.270	0.183	0.435
10K	0.138	0.176	0.199	0.237	0.160	0.382
9K	0.133	0.170	0.192	0.229	0.155	0.370
PT	0.236	0.302	0.341	0.407	0.276	0.656
銀	0.122	0.155	0.176	0.209	0.142	0.338

長 X 寬 mm	10x9.2	11x13	10.8x13.2	12.7x17.6	18.1x7.8	22x9.6
18K	0.540	0.660	0.520	1.100	0.880	1.100
14K	0.470	0.574	0.452	0.957	0.766	0.957
10K	0.413	0.504	0.395	0.840	0.672	0.840
9K	0.400	0.488	0.385	0.814	0.651	0.814
PT	0.709	0.866	0.682	1.444	1.155	1.444
銀	0.365	0.446	0.352	0.743	0.594	0.743



生圈扣系列
Spring Lock Series

長 X 寬 X 厚 mm	φ 4.5	φ 5.0	φ 5.0	φ 5.5	φ 5.0
18K	0.063	0.086	0.140	0.191	/
14K	0.055	0.075	0.122	0.166	/
10K	0.048	0.066	0.107	0.146	/
9K	0.047	0.064	0.104	0.141	/
PT	0.083	0.113	0.184	0.251	/
銀	0.043	0.058	0.095	0.129	0.098

以上資料只供參考，一切以實物為準。
The information above is for reference only. The real object should be considered as final.



其他配件
Others Accessories

重量(克/件)
Weight(g/pc)

	CT001	CT002	CT005	CT007	CT008	CT011
尺寸	5.05X4.25mm	5.05X4.25mm	6.4X5.0mm	4.0X3.25mm	6.2X4.2mm	5.0X4.1mm
18K	0.070	0.080	0.090	0.037	0.130	0.084
14K	0.061	0.070	0.078	0.032	0.113	0.073
10K	0.053	0.061	0.069	0.029	0.099	0.066
9K	0.052	0.059	0.067	0.027	0.096	0.062
PT	0.092	0.105	0.118	0.049	0.171	0.108
銀	0.047	0.054	0.061	0.025	0.088	0.057

	CT012	CT015	CT016	CT028	CT032	CT033
尺寸	5.0X5.0mm	7.0X3.0mm	4.4X3.4mm	8.2X5.2mm	5.0X3.5mm	4.5X3.7mm
18K	0.198	0.081	0.041	0.330	0.030	0.030
14K	0.172	0.069	0.036	0.287	0.026	0.025
10K	0.149	0.059	0.032	0.251	0.023	0.023
9K	0.144	0.058	0.030	0.244	0.022	0.022
PT	0.259	0.102	0.053	0.433	0.039	0.037
銀	0.134	0.055	0.028	0.224	0.020	0.020

	TX615	EC01	JP007	JP002	QZ(圈仔)	QZ(圈仔)	QZ(圈仔)
尺寸	3.3*3.5*3mm	2.6*4.6*內徑2mm	4.9*3.8mm	5.3*2mm			
18K	0.120	0.120	0.250	0.020	0.020	0.030	0.030
14K	0.104	0.104	0.218	0.017	0.017	0.026	0.026
10K	0.092	0.092	0.191	0.015	0.015	0.023	0.023
9K	0.089	0.089	0.185	0.015	0.015	0.022	0.022
PT	0.158	0.158	0.328	0.026	0.026	0.039	0.039
銀	0.081	0.081	0.169	0.014	0.014	0.020	0.020

	F01	TX002車輪製	TX07 拉筒(頂開)	TX08 拉筒(側開)	LZ002+EP137
尺寸	45*0.9mm	9*6.5mm	8.1*7.1mm	8.3*8.5mm	10mm 9*1.1mm
18K	0.480	0.270	0.320	0.330	0.930
14K	0.418	0.235	0.278	0.287	0.809
10K	0.367	0.206	0.244	0.252	0.711
9K	0.355	0.200	0.237	0.244	0.688
PT	0.630	0.354	0.420	0.433	1.221
銀	0.324	0.182	0.216	0.223	0.628



以上資料只供參考，一切以實物為準。
The information above is for reference only. The real object should be considered as final.



各類高低溫焊片、鐳射線
High/Low Temp. Welding Plates & Wires



規格：長 X 寬 X 片厚 (43X25X0.2mm)

各種成色的高、中、低溫焊片
(K紅、K黃、K白、PT(不含鉑)、PT(含鉑)、銀)
Include High, Medium, Low sheet
(Red Gold, Yellow Gold, White Gold, Platinum)



PT焊片

(不含PT與含10%PT兩種)

成色		K 黃	K 白	K 紅
8K	高	700°C	/	/
	中	670°C	750°C	/
	低	640°C	/	/
9K	高	700-800°C	800-900°C	700-800°C
	中	650-750°C	750-850°C	/
	低	600-700°C	700-800°C	/
10K	高	750-850°C	800-900°C	750-850°C
	中	700-800°C	700-800°C	/
	低	650-750°C	650-750°C	/
14K	高	750-850°C	750-850°C	750-850°C
	中	700-800°C	700-800°C	/
	低	650-750°C	650-750°C	/
18K	高	750-850°C	750-850°C	800-815°C
	中	700-800°C	750-800°C	/
	低	650-750°C	650-750°C	/
22K	低	650-750°C	/	/
PT	100	700-750°C		
	200	1100-1200°C		
銀	高	750-850°C		
	中	650-750°C		
	低	600-700°C		



8-22K 紅黃白
各種成色鐳射線
線粗：0.25mm



8-22K 紅黃白
各類含鉑彈金片
規格：長 X 寬 X 片厚
60X25X0.6mm 18K 約 13.5g/片
60X25X0.8mm 18K 約 17.8g/片
60X25X1.0mm 18K 約 22.2g/片



含鉑彈金線 / 不含鉑不含鉑彈金線

300x0.80mm 14KW 1.95g
300x0.85mm 18KW 2.50g
300x1.00mm 14KY 3.05g
300x1.20mm 18KY 4.98g



足金系列
Pure Gold Series



999.9 金
規格 :11.23G (參錢)
13.5X13.5mm



999.9 金
規格 :18.72G (伍錢)
18X18mm



999.9 金
規格 :37.43G (一兩)
21X21mm



999.9 金
規格 :7.49G (貳錢)
12X12mm



999.9 金
規格 :29.95G (捌錢)
20X20mm



999.9 金
規格 :50G
30X18mm




999.9 金
規格 :50G
55X25mm



999.9 金
規格 :20G
40X20mm



999.9 金
規格 :10G
30X15mm



999.9 金
規格 :100G
51x23mm



999.9 金
規格 :300G
71x38mm



999.9 金
規格 :500G
79x41mm

我司乃金银业贸易场成员，可为贵司铸压各种专属品牌之各类贵金属。

We are now member No.70 of Chinese Gold & Silver Exchange, we provide private label service for any kind of precious metals.

以上资料只供参考，一切以实物为准。
The information above is for reference only. The real object should be considered as final.

貴金屬原料
Precious Metal Raw Materials



1000g 純銀



500g 純銀



純銀粒



足鉑條



足鉑片



足鉑片

以上資料只供參考，一切以實物為準。
The information above is for reference only. The real object should be considered as final.



天豐珠寶有限公司
TIN FUNG JEWELLERY LIMITED

★ 已申請專利
Patent Acquired





天豐珠寶有限公司
TIN FUNG JEWELLERY LIMITED

天豐珠寶
TIN FUNG JEWELLERY





天豐珠寶有限公司
TIN FUNG JEWELLERY LIMITED





天豐珠寶有限公司
TIN FUNG JEWELLERY LIMITED





RBL-GJXKY15-5JP6

石位: RD 1.5mm 90 粒、手寸: 美度 約 8.5 #
18K金重: 約 5.5 g、14K金重: 約 4.8 g
10K/9K金重: 約 4.1 g



RBL-GJXKY15-ZGP3

石位: RD 1.5mm 40 粒、手寸: 美度 約 8.5 #
18K金重: 約 2.9 g、14K金重: 約 2.5 g
10K/9K金重: 約 2.1 g

R-MSBXKY17

石位: 1.7mm 66 粒、長度: 約 7 "
18K金重: 約 10.3 g、14K金重: 約 9 g
10K/9K金重: 約 7.6 g



BRBL-GJJXKLY15-XWP7

石位: 1.5mm 350 粒、長度: 約 7 "
18K金重: 約 14.7 g、14K金重: 約 12.8 g
10K/9K金重: 約 10.9 g

BRBL-GJJXKLY15-SDP5

石位: 1.5mm 292 粒、長度: 約 17.5 cm
18K金重: 約 10.8 g、14K金重: 約 9.4 g
10K/9K金重: 約 8 g



BRBL-GJJXKLY15-TZP4

石位: 1.5mm 180 粒、長度: 約 17.5 cm
18K金重: 約 9.6 g、14K金重: 約 8.4 g
10K/9K金重: 約 7.1 g

BRBL-FCDZZXKY15-P3

石位: RD 1.5mm 69 粒、長度: 約 18.5 cm
18K金重: 約 11.5 g、14K金重: 約 10.0 g
10K/9K金重: 約 8.5 g



天豐珠寶有限公司
TIN FUNG JEWELLERY LIMITED




NLBL-HXKLY15-2018

18K金重: 約 67.2 g, 14K金重: 約 58.4 g
10K / 9K 金重: 約 49.7 g, 長度: 約 41 cm
石位: RD 1.5mm 560 粒, 0.8mm 37 粒, 0.9mm 23 粒
1.0mm: 17 粒, 1.1mm: 22 粒, 1.2mm: 15 粒
1.3mm: 1 粒, 1.4mm: 3 粒, 1.6mm: 1 粒, 1.8mm: 1 粒

BRBL-GJJXKLY15-FXP10

石位: RD 1.5mm 560 粒、長度: 約 7 "
18K金重: 約 20.5 g, 14K金重: 約 17.8 g
10K / 9K 金重: 約 15.2 g



BRBL-GJJXKLY15-CFP9

石位: RD 1.5mm 540 粒、長度: 約 17.5 cm
18K金重: 約 21.7 g, 14K金重: 約 18.9 g
10K / 9K 金重: 約 16.1 g



BRBL-GJJXKLY15-JTP6

石位: RD 1.5mm 276 粒、長度: 約 17.5 cm
18K金重: 約 14.64 g, 14K金重: 約 12.7 g
10K / 9K 金重: 約 10.8 g



BRBL-FCDZXKY15-P3

石位: RD 1.5mm 69 粒、長度: 約 18.5 cm
18K金重: 約 11.8 g, 14K金重: 約 10.2 g
10K / 9K 金重: 約 8.7 g



BRBL-XKLY15-P1

石位: RD 1.5mm 90 粒、長度: 約 17 cm
18K金重: 約 2 g, 14K金重: 約 1.7 g
10K / 9K 金重: 約 1.5 g



BRBL-LWXKLY15-P5

石位: RD 1.5mm 195 粒、長度: 約 6.5 "
18K金重: 約 12.8 g, 14K金重: 約 11.1 g
10K / 9K 金重: 約 9.4 g



BRBL-FCXKLY15-P5

石位: RD 1.5mm 340 粒、長度: 約 7.3 "
18K金重: 約 17.7 g, 14K金重: 約 15.1 g
10K / 9K 金重: 約 13.1 g



BRBL-ZXKY15-P12+CHZ

尺寸：約8"、石位：1.5 mm 432粒
18K金重：約 39.4 g、14K金重：約 34.3 g
10K/9K金重：約 29.1 g



BRBL-XKLY15-P4

圓石：1.5mm 360粒、長度：約 6.75 "
18K金重：約 7.5 g、14K金重：約 6.5 g
9K/10K金重：約 5.5 g



BR-XKL023030153+BX

尺寸：約 16 cm 、石位：1.5 mm 258 粒
18K金重：約 7.9 g、14K金重：約 6.9 g
10K / 9K 金重：約 5.8 g



BR-DPXKZL18WF20+134

尺寸：約 7.5 "、石位：RD 1.7mm 79粒
18K金重：約 8.4 g、14K金重：約 7.3 g
10K/9K金重：約 6.4 g



BR-DPXKZL1515+134

尺寸：約 17 cm 、石位：RD 1.5 mm 91 粒
18K金重：約 7 g、14K金重：約 6.1 g
10K / 9K 金重：約 5.2 g



BR-XKL023030252+134

尺寸：約 6.5 "、石位：RD 1.8mm 136 粒
18K金重：約 6.2 g、14K金重：約 5.4 g
10K / 9K 金重：約 4.6 g



BRBL-XKLY15-P2

石位：1.5mm 194 粒、長度：約 7.5 "
18K金重：約 4.7 g、14K金重：約 4.1 g
10K / 9K 金重：約 3.5 g



BR-XKL02303025+137

尺寸：約 17 cm 、石位：RD 1.8mm 71粒+1.3mm 6粒
18K金重：約 3.7 g、14K金重：約 3.2 g
10K/9K金重：約 2.7 g



天豐珠寶有限公司
TIN FUNG JEWELLERY LIMITED




BRBL-GJJXKLY15-CFP19

尺寸: 約 17 cm、石位: 1.5 mm 1102 粒
18K 金重: 約 47.1 g、14K 金重: 約 41 g
10K / 9K 金重: 約 34.9 g



BRBL-GJJXKLY15-FXP10

石位: RD 1.5mm 560 粒、長度: 約 7"
18K 金重: 約 20.5 g、14K 金重: 約 17.8 g
10K / 9K 金重: 約 15.2 g



BRBL-GJJXKLY15-BLP8

石位: RD 1.5mm 400 粒、長度: 約 7"
18K 金重: 約 16.2 g、14K 金重: 約 14.1 g
10K / 9K 金重: 約 12 g



BRBL-FCXKLY15-P5

圓石: 1.5mm 330 粒、長度: 約 7"
18K 金重: 約 19.2 g、14K 金重: 約 16.7 g
9K / 10K 金重: 約 14.2 g



BRBL-GJJXKLY15-SDP5

圓石: 1.5mm 292 粒、長度: 約 17.5 cm
18K 金重: 約 10.8 g、14K 金重: 約 9.4 g
9K / 10K 金重: 約 8 g



BRBL-GJJXKLY15-TZP4

圓石: 1.5mm 180 粒、長度: 約 17.5 cm
18K 金重: 約 9.6 g、14K 金重: 約 8.4 g
9K / 10K 金重: 約 7.1 g



BRBL-FCDZXKLY15-P5

石位: 1.5mm 325 粒、長度: 約 7"
18K 金重: 約 18.3 g、14K 金重: 約 15.9 g
10K / 9K 金重: 約 13.5 g



BRBL-FCXKLY15-P5

石位: 1.5mm 340 粒、長度: 約 7.5 "
18K 金重: 約 17.7 g、14K 金重: 約 15.4 g
10K / 9K 金重: 約 13.1 g



天豐智能保管箱
Tin Fung Smart Vault

10. 是不是任何物品均可在天豐保管箱存放？

Am I allowed to keep anything in the Safe Deposit Box?

除了生物、具有腐蝕性或具爆炸風險的易燃物品，及觸犯香港特別行政區政府法例的物品外，客戶可放置任何物品到保管箱。例如黃金，白銀，珠寶首飾，名貴鐘錶，紅酒，各式收藏品或紀念品等。

Except living organisms, corrosives, in-flammables, explosives, or anything that is against the law of the Hong Kong Special Administrative Region, customers are welcome to store any personal items at Tin Fung such as Gold, Silver, Jewellery, Watch, Wine and art-piece etc.

11. 若我未能成功付款或忘記續約，物品會如何處置？

What happen if I fail to pay, or forget to renew my agreement?

我們會在租期完結前一個月通知客戶。若客戶在租約完結後仍不聯絡本公司或繳交租金，將被視作放棄續租，本公司將保留處理保管箱內物品的權利 (詳情可向天豐職員查詢)。We will contact you a month before the rental agreement ends. If you fail to contact us after the agreement ends, we consider it a lapse of agreement and withhold any legal right to dispose of items inside the deposit box.

12. 假如我遺失了鎖匙怎麼辦？What if I lost my key?

租用保管箱時，客戶會獲發 2 條專屬其保管箱的鎖匙。若閣下遺失 1 條或 2 條鎖匙，應即時與天豐集團聯絡預約鎖匠開鎖，以確保開鎖時閣下在現場。鎖匠費用和隨後的維修費均由閣下支付

Once rented, customers receive 2 personalized keys. In case of lost, please contact Tin Fung asap to arrange a replacement.

13. 我可以在營業時間外到保管箱進行存取嗎？

Can I access the box out of business hours

抱歉，因我們為金庫設置了時間鎖。任何人都不能夠於營業時間外進行存取。

Sorry, we have time-lock for the Vault door. No one is permitted to access the Vault out of business hours.



天豐智能保管箱 Tin Fung Smart Vault

6. 財物放在天豐的保管箱安全嗎? Are my belongings safe at Tin Fung?

天豐斥資六千萬的保管庫一直以保障客戶財物的安全為宗旨，我們設有多項國際認可的先進保安及恆溫設備，嚴格控制場內保安，溫度。此外，知名保安品牌為我們提供全天候24小時遙距保安監控，保證財物得到最高規格的保障，令您皆安枕無憂。

Tin Fung Vault is secured by a strict humidity, temperature, 24/7 surveillance system and fire safety system, ensuring your property is protected to the highest international standards.

7. 我使用保管箱的過程及所放置的物品，會否被監控鏡頭拍下嗎?

Would the items kept at the deposit box be taped by the surveillance camera?

天豐金庫範圍內擁有360度零死角的保安監控。但為尊重及保障客人私隱，天豐金庫內特設有多個獨立的私人鑒賞室，鑒賞室內完全不設任何監控設施，客戶可於房間內放心處理其個人財物。

Tin Fung Vault is secured by 360-degree surveillance with no blind spots. However, with customers' privacy in mind, we also provide independent private rooms for you to rest and organize personal items, where you are free from any camera surveillance.

8. 除了我本人，甚麼人可以到我的保管箱進行存取? Who has access to my safe deposit box?

根據客戶意願，一個保管箱有一位擁有人及最多一位授權人，保管箱擁有人享有獨自進入金庫的權利；或指定其授權人存取權限。本公司任何職員在任何情況下，若沒有客戶親臨及攜同其鎖匙，均沒有辦法開箱。

One deposit box can have up to one associates, allowing them each the right to access the vault individually. Tin Fung's staff members do not have access to individual boxes without the client's presence and his/her key.

9. 如果客人要更改任何資料的安排? How can I amend my personal information?

為確保保管箱擁有人權益，我們需要擁有人親臨門市作任何資料更改。

For security purpose, we require the deposit box's owner visit us in person for any amendments for his/her personal information.



天豐智能保管箱 Tin Fung Smart Vault

1. 為什麼選擇天豐保管箱? Why Tin Fung Vault?

天豐集團在香港擁有多年珠寶製造及房地產投資經驗，雄厚的業務基礎，是客戶的信心保證。天豐保管箱位處市中心地段，我們以專業保安團隊、快捷簡便的服務和最優惠價錢為您提供大量、多種尺寸的保管箱。申請手續極其簡單，閣下只需帶同身份證明文件親臨門市登記即可使用。

Tin Fung Group has a long history in Jewellery Manufacturing and Real Estate Investment in Hong Kong. Tin Fung Vault is conveniently located, we provide top-class security facilities, great customer experience and abundant deposit boxes in various sizes at an unbeatable price. We have simple account opening procedure; all you need is your identification document and visit us in person.

2. 我們的營業時間 ? Our business hours?

我們的營業時間為 (星期一至日，早上 9:00 – 晚上 8:00)，公眾假期照常營業。客戶均可隨時到來使用我們的服務。為免輪候，客戶亦可先致電 (Tel: +852 3692 5921)。We open all year round (Monday to Sunday 9am to 8pm), to keep waiting time to a minimum, you can also call our customer hotline (Tel: +852 3692 5921) prior to book a time slot for your visit.

3. 如閣下想租用保管箱，但不知道那個尺寸才適合，可否試用?

If I am not sure which box is suitable for me, any trial service available?

天豐於門市特設 1:1 的保管箱 sample, 以供客人親身體驗及即時試用各大小保管箱，客人可在確定尺寸合乎所想後才租用，增加你的信心
We provide sample boxes on site; customers commit only after working out what they need.

4. 我怎樣繳納租金和續租 ? How do I pay for the safe deposit box and renewal?

客人可使用現金 / 支票 / 銀行轉賬後傳真或發信息通知本司。在合約到期前約一個月，我們會透過電話或電郵 (視乎客戶所選之聯絡方式) 邀請閣下續約。如選擇不續約，必須在合約到期日前親身到保管庫辦理退租手續及交還鎖匙。

Payment can be made by Cash/ Cheque/ Bank Transfer. Approximately 1 month before your contract expires, we will call or email (depends on your preferred contact method) inviting you to renew your contract. If you do not wish to renew, keys must be returned to us in person before the date on which your contract expires.

5. 你們有月租計劃嗎? Any monthly plans?

有。我們提供彈性租用服務，一般租用計劃為 3 個月，6 個月，12 個月及 24 個月租約。
Yes, we offer flexible rental period; 3 months, 6 months, 12 months and 24 months contact.



天豐智能保管箱
Tin Fung Smart Vault



A



B



C



D



E



F

箱型 Box	1個月 Every month	3個月 3months	6個月 6months	12個月 12months	24個月 24months	租金按金 Rent Deposit	鎖匙按金 Key Deposit	智能卡按金 Card Deposit
VIP 區								
A	\$200	\$400	\$700	\$1200	\$2000	\$300	\$1000	\$100
B	\$240	\$480	\$840	\$1440	\$2400	\$360	\$1000	\$100
C	\$400	\$800	\$1400	\$2400	\$3900	\$600	\$1000	\$100
D	\$480	\$960	\$1680	\$2880	\$4700	\$720	\$1000	\$100
VVIP 區								
E	\$800	\$1600	\$2800	\$4800	\$7700	\$1200	\$1000	\$100
F	\$1000	\$2000	\$3500	\$6000	\$9600	\$1500	\$1000	\$100


以上資料只供參考，一切以實物為準。
The information above is for reference only. The real object should be considered as final.



天豐智能保管箱
Tin Fung Smart Vault

保管箱參考尺寸 (高x寬x深 單位mm, 白色為內箱)

Safe Deposit Box Sizes' References (H x W x D in mm)



A箱(指定位置)

Box A (Specific Area)

櫃內空間: 128x300x540(mm)
5.0x11.8x21.3(寸)

內箱尺寸: 115x250x470(mm)
4.5x9.8x18.5(寸)

Cabinet space : 128x300x540(mm)
5.0x11.8x21.3(inch)

Inner Box Size : 115x250x470(mm)
4.5x9.8x18.5(inch)



B箱


Box B

櫃內空間: 128x300x540(mm)
5.0x11.8x21.3(寸)

內箱尺寸: 115x250x470(mm)
4.5x9.8x18.5(寸)

Cabinet space : 128x300x540(mm)
5.0x11.8x21.3(inch)

Inner Box Size : 115x250x470(mm)
4.5x9.8x18.5(inch)



C箱


Box C

櫃內空間: 190x300x540(mm)
7.5x11.8x21.3(寸)

內箱尺寸: 180x250x470(mm)
7.1x9.8x18.5(寸)

Cabinet space : 190x300x540(mm)
7.5x11.8x21.3(inch)

Inner Box Size : 180x250x470(mm)
7.1x9.8x18.5(inch)



D箱


Box D

櫃內空間: 260x300x540(mm)
10.2x11.8x21.3(寸)

內箱尺寸: 250x250x470(mm)
9.8x9.8x18.5(寸)

Cabinet space : 260x300x540(mm)
10.2x11.8x21.3(inch)

Inner Box Size : 250x250x470(mm)
9.8x9.8x18.5(inch)



VIP 鉑金區E箱


VIP Platinum Box E

櫃內空間: 260x300x588(mm)
10.2x11.8x23.1(寸)

內箱尺寸: 250x250x520(mm)
9.8x9.8x21(寸)

Cabinet space : 260x300x588(mm)
10.2x11.8x23.1(inch)

Inner Box Size : 250x250x520(mm)
9.8x9.8x21(inch)



VIP 鉑金區F箱

VIP Platinum Box F

櫃內空間: 390x300x588(mm)
15.4x11.8x23.1(寸)

內箱尺寸: 380x250x520(mm)
15.0x9.8x21(寸)

Cabinet space : 390x300x588(mm)
15.4x11.8x23.1(inch)

Inner Box Size : 380x250x520(mm)
15.0x9.8x21(inch)

以上資料只供參考，一切以實物為準。

The information above is for reference only. The real object should be considered as final.



天豐智能保管箱
Tin Fung Smart Vault

簡介 Introduction

天豐智能保管箱現為全港規模最大的私人保管箱中心，位於集團 7000 呎自置物業，提供 5 種尺寸 UL 規格保險箱以供公司或個人名義租用。場內配備了多項先進的保安設備，包括人臉識別登入系統、動態及熱能偵測裝置等 24 小時連接知名保安監控中心。另外，「勞合社 Lloyd's of London」亦為場內用家承保最高 \$500,000 全險保額。

Tin Fung Group has invested nearly 100 million in operating private safe deposit box leasing services, providing nearly 8,000 high-standard safe deposit boxes in a 7,000 sq.ft self-owned property at Hunghom, with internationally renowned security systems and equipments, and we commit to creating the largest and the safest safe deposit box service in Hong Kong. We aim to provide the highest quality and protection services for our customer's assets and belongings.

天豐智能保管箱		一般銀行保管箱服務
貼心服務	全年無休	辦公時間營業，公眾假期休息
營業時間	早上 9 時至晚上 8 時	早上 9 時至下午 5 時
申請流程	申請流程快捷，一經批核即可使用	一般須銀行特選客戶為優先
保管箱供應	規模龐大，存放空間實用	需要輪候及存放空間較細
安全可靠	透過生物辨別技術，手機訊息通知及專屬鑰匙存取	只用傳統編配的保管箱鑰匙
私隱空間	設有獨立房間，房內不設任何監察系統	沒有獨立房間處理個人物品，金庫空間較為狹窄
多重保安	保管箱設有 24 小時監控系統，備份連接場外地方，多重保安裝置等，為每個保管箱提供保險，保額高達 HKD50 萬	只有傳統監控電視及基本保安系統
信心保障		基本保險或沒有保管箱保險

Tin Fung Safe Deposit Box		General bank safe deposit box service
Service	Open All year round	Operate in business hours only
Business Hour	9 a.m. to 8 p.m. (Mon to Sun)	9 a.m. to 5 p.m. (Mon to Fri)
Registration	Same day approval	Serving selected clients
Supply	Substantial amount & storage room	Long waiting list and limited storage
Check-In	Identified by Bio-Tech, SMS & Private Box Key for Access	Private Box Key
Privacy	Tin Fung provides private rooms for storing or reviewing your items (No surveillance cameras in the room)	No PrivateRoom, limited space
Security	Tin Fung provides 24/7 surveillance system which connected with external venue, state or the art security devices etc.	Basic CCTV or Security set up
Insurance	Each SDB is entitled to all-risk insurance up to HKD\$500,000	Basic Insurance or None



天豐珠寶有限公司
TIN FUNG JEWELLERY LIMITED






天豐珠寶有限公司
TIN FUNG JEWELLERY LIMITED





天豐珠寶有限公司
TIN FUNG JEWELLERY LIMITED





天豐珠寶有限公司
TIN FUNG JEWELLERY LIMITED







天豐珠寶有限公司
TIN FUNG JEWELLERY LIMITED





天豐珠寶有限公司
TIN FUNG JEWELLERY LIMITED





天豐珠寶有限公司
TIN FUNG JEWELLERY LIMITED






天丰智能保管箱
Tin Fung Smart Vault

35th
Since 1988

全港規模最大 專業管理
Largest SDB Venue & Top-Class Service in HK



天豐優點

全年無休
星期一至日
9: 00-20: 00營業

星級保安設備
場內所有保安設備均
24/7連接至特定保安
中心，如觸發警報將
自動通知警處

附送保險（可額外
自行配置保險）
場內由勞合社承保，
提供全險保額高達
HK\$50萬

彈性租期，收費至抵
月費只需HK\$83起
租期最短1個月起

貼心服務
提供5種尺寸箱型
特設陳列區
以供客人試用

其他優勢
集團自置物業
場內保安規格均獲
認可測量師行認證
「箱戶」可添加授權
人進行存取

Tel: 3692 5921/3692 5922

Email: tfsv@tfj.com.hk

Web: tfgg.com.hk

保管箱地址: 九龍紅磡鶴園街9-11號凱旋工商中心3期地庫C
Basement C, Kaiser Estate Ph.3, Hok Yuen Street 9-11, Hung Hom, Kowloon

WhatsApp 6689 4393

Wechat 6689 4393



天豐智能保管箱
抖音

天豐智能保管箱
小紅書

天豐智能保管箱
微信



天豐利豐配件-鳳



天豐配件-華

廣東省廣州市番禺區沙頭街大羅塘銀建路34號

利豐配件: (020) 3451 0582

天豐珠寶: (020) 8487 2591



Tin Fung Elaine



Tin Fung Cathy

總公司地址: 香港九龍紅磡鶴園街9-11號凱旋工商中心3期10樓P室
Rm P, 10/F, Kaiser Estate Phase3, No.9-11 Hok Yuen Street, Hung Hom, kln.

Tel: (00852) 2334 5610 Fax: (00852) 2334 9280
(00852) 2363 3826 Email: info@tfj.com.hk